

## The trehalose coating effect on the internal protein dynamics

Hackel C., Zinkevich T., Belton P., Achilles A., Reichert D., Krushelnitsky A.  
*Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia*

---

### Abstract

<sup>15</sup>N and <sup>13</sup>C NMR experiments were applied to conduct a comparative study of a cold shock protein (Csp) in two states - lyophilized powder and a protein embedded in a glassy trehalose matrix. Both samples were studied at various levels of rehydration. The experiments used (measuring relaxation rates  $R_1$  and  $R_{1\rho}$ , motionally averaged dipolar couplings and solid state exchange method detecting reorientation of the chemical shift anisotropy tensor) allow obtaining abundant information on the protein structural features and internal motions in a range of correlation times from nanoseconds to seconds. The main results are: (a) the trehalose coating makes the protein structure more native in comparison with the dehydrated lyophilized powder, however, trehalose still cannot remove all non-native hydrogen bonds which are present in a dehydrated protein; (b) trehalose has an appreciable effect on the internal dynamics: the motion of the backbone N-H groups in the nanosecond and microsecond time scales becomes slower while the motional amplitude remains constant; (c) upon adding water to the Csp-trehalose mixture, water molecules accumulate around proteins forming a layer between the protein surface and the trehalose matrix. The protein dynamics become faster, however, not as fast as in the fully hydrated state; (d) the hydration response of dynamics of the NH and CH(CH<sub>2</sub>) groups in a protein is qualitatively different: upon increasing protein hydration, the correlation times of the N-H motions become shorter and the amplitude remains stable, and for CH(CH<sub>2</sub>) groups the motional amplitude increases and the correlation times do not change. This can be explained by a different ability of the NH and CH(CH<sub>2</sub>) groups to form hydrogen bonds. © the Owner Societies 2012.

<http://dx.doi.org/10.1039/c2cp23098d>

---