

Antitumor macrophage response to bacillus pumilus ribonuclease (Binase)

Makeeva A., Rodriguez-Montesinos J., Zelenikhin P., Nesmelov A., Preissner K., Cabrera-Fuentes H., Ilinskaya O.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© Copyright 2017 Anna Makeeva et al. Extracellular bacterial ribonucleases such as binase from *Bacillus pumilus* possess cytotoxic activity against tumor cells with a potential for clinical application. Moreover, they may induce activation of tumor-derived macrophages either into the M1-phenotype with well-documented functions in the regulation of the antitumor immune response or into M2-macrophages that may stimulate tumor growth, metastasis, and angiogenesis. In this study, binase or endogenous RNase1 (but not RNA or short oligonucleotides) stimulated the expression of activated NF- κ B p65 subunit in macrophages. Since no changes in MyD88 and TRIF adaptor protein expression were observed, toll-like receptors may not be involved in RNase-related NF- κ B pathway activation. In addition, short exposure (0.5 hr) to binase induced the release of cytokines such as IL-6, MCP-1, or TNF- α (but not IL-4 and IL-10), indicative for the polarization into antitumor M1-macrophages. Thus, we revealed increased expression of activated NF- κ B p65 subunit in macrophages upon stimulation by binase and RNase1, but not RNA or short oligonucleotides.

<http://dx.doi.org/10.1155/2017/4029641>

References

- [1] G. J. Van Der Bij, S. J. Oosterling, S. Meijer, R. H. Beelen, and M. van Egmond, "The role of macrophages in tumor development," *Cellular Oncology*, vol. 27, no. 4, pp. 203-213, 2005.
- [2] V. L. Serebruanuy, V. Cherepanov, H. A. Cabrera-Fuentes, and M. H. Kim, "Solid cancers after antiplatelet therapy: confirmations, controversies, and challenges," *Thrombosis and Haemostasis*, vol. 114, no. 6, pp. 1104-1112, 2015.
- [3] H. A. Cabrera-Fuentes, J. Aragonés, J. Bernhagen et al., "From basic mechanisms to clinical applications in heart protection, new players in cardiovascular diseases and cardiac theranostics: meeting report from the third international symposium on "new frontiers in cardiovascular research", " *Basic Research in Cardiology*, vol. 111, no. 69, 2016.
- [4] A. H. Klimp, E. G. de Vries, G. L. Scherphof, and T. Daemen, "A potential role of macrophage activation in the treatment of cancer," *Critical Reviews in Oncology/Hematology*, vol. 44, no. 2, pp. 143-161, 2002.
- [5] C. Lamagna, M. Aurrand-Lions, and B. A. Imhof, "Dual role of macrophages in tumor growth and angiogenesis," *Journal of Leukocyte Biology*, vol. 80, no. 4, pp. 705-713, 2006.
- [6] A. Mantovani and P. Allavena, "The interaction of anticancer therapies with tumor-associated macrophages," *The Journal of Experimental Medicine*, vol. 212, no. 4, pp. 435-445, 2015.
- [7] H. Cabrera-Fuentes, N. Kalacheva, R. Mukhametshina et al., "Binase penetration into alveolar epithelial cells does not induce cell death," *Biochemistry (Moscow) Supplement Series B: Biomedical Chemistry*, vol. 6, no. 4, pp. 317-321, 2012.

- [8] H. A. Cabrera-Fuentes, M. Aslam, M. Saffarzadeh et al., "Internalization of *Bacillus intermedius* ribonuclease (BINASE) induces human alveolar adenocarcinoma cell death, " *Toxicon*, vol. 69, no. 7, pp. 219-226, 2013.
- [9] A. A. Makarov, A. Kolchinsky, and O. N. Ilinskaya, "Binase and other microbial RNases as potential anticancer agents, " *BioEssay*, vol. 30, no. 8, pp. 781-790, 2008.
- [10] V. A. Mitkevich, A. A. Makarov, and O. N. Ilinskaya, "Cellular targets of antitumor ribonucleases, " *Molekuliarnaia Biologiya*, vol. 48, no. 2, pp. 214-222, 2014.
- [11] V. Ulyanova, V. Vershinina, and O. Ilinskaya, "Barnase and binase: twins with distinct fates, " *The FEBS Journal*, vol. 278, no. 19, pp. 3633-3643, 2011.
- [12] H. A. Cabrera Fuentes, N. V. Kalacheva, R. T. Mukhametshina et al., "Binase penetration into alveolar epithelial cells does not induce cell death, " *Biomeditsinskaya Khimiya*, vol. 58, no. 3, pp. 272-280, 2012.
- [13] A. R. Garipov, A. A. Nesmelov, H. A. Cabrera-Fuentes, and O. N. Ilinskaya, "*Bacillus intermedius* ribonuclease (BINASE) induces apoptosis in human ovarian cancer cells, " *Toxicon*, vol. 92, no. 12, pp. 54-59, 2014.
- [14] V. A. Mitkevich, I. Y. Petrushanko, P. V. Spirin et al., "Sensitivity of acute myeloid leukemia Kasumi-1 cells to binase toxic action depends on the expression of KIT and AML1-ETO oncogenes, " *Cell Cycle*, vol. 10, no. 23, pp. 4090-4097, 2011.
- [15] O. Ilinskaya, K. Decker, A. Koschinski, F. Dreyer, and H. Repp, "*Bacillus intermedius* ribonuclease as inhibitor of cell proliferation and membrane current, " *Toxicology*, vol. 156, no. 2-3, pp. 101-107, 2001.
- [16] O. N. Ilinskaya, P. V. Zelenikhin, I. Y. Petrushanko, V. A. Mitkevich, V. S. Prassolov, and A. A. Makarov, "Binase induces apoptosis of transformed myeloid cells and does not induce Tcell immune response, " *Biochemical and Biophysical Research Communications*, vol. 361, no. 4, pp. 1000-1005, 2007.
- [17] V. A. Mitkevich, O. V. Kretova, I. Y. Petrushanko et al., "Ribonuclease binase apoptotic signature in leukemic Kasumi-1 cells, " *Biochimie*, vol. 95, no. 6, pp. 1344-1349, 2013.
- [18] A. P. Lozhkin, P. V. Zelenikhin, A. V. Makeeva, E. A. Sokolova, and O. N. Ilinskaya, "Binase induces pro-inflammatory immune response of macrophages, " *Genes and Cells*, vol. 9, no. 3, pp. 1-3, 2014.
- [19] S. L. Spencer and P. K. Sorger, "Measuring and modeling apoptosis in single cells, " *Cell*, vol. 144, no. 6, pp. 926-939, 2011.
- [20] C. Gasparini, C. Celeghini, L. Monasta, and G. Zauli, "NF-kappaB pathways in hematological malignancies, " *Cellular and Molecular Life Sciences*, vol. 71, no. 11, pp. 2083-2102, 2014.
- [21] S. Basak, V. F. Shih, and A. Hoffmann, "Generation and activation of multiple dimeric transcription factors within the NFkappaB signaling system, " *Molecular and Cellular Biology*, vol. 28, no. 10, pp. 3139-3150, 2008.
- [22] A. A. Makarov, I. I. Protasevich, N. V. Kuznetsova et al., "Comparative study of thermostability and structure of close homologues-barnase and binase, " *Journal of Biomolecular Structure & Dynamics*, vol. 10, no. 6, pp. 1047-1065, 1993.
- [23] O. N. Ilinskaya, N. S. Karamova, O. B. Ivanchenko, and L. V. Kipenskaya, "SOS-inducing ability of native and mutant microbial ribonucleases, " *Mutation Research*, vol. 354, no. 2, pp. 203-209, 1996.
- [24] M. M. Bradford, "A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding, " *Analytical Biochemistry*, vol. 72, no. 5, pp. 248-254, 1976.
- [25] J. Matousek, J. Soucek, T. Slavik, M. Tomanek, J. E. Lee, and R. T. Raines, "Comprehensive comparison of the cytotoxic activities of onconase and bovine seminal ribonuclease, " *Comparative Biochemistry and Physiology-Part C: Toxicology and Pharmacology*, vol. 136, no. 4, pp. 343-356, 2003.
- [26] A. Bracale, D. Spalletti-Cernia, M. Mastronicola et al., "Essential stations in the intracellular pathway of cytotoxic bovine seminal ribonuclease, " *Biochemical Journal*, vol. 362, no. Pt 3, pp. 553-560, 2002.
- [27] O. N. Ilinskaya, I. Singh, E. Dudkina, V. Ulyanova, A. Kayumov, and G. Barreto, "Direct inhibition of oncogenic KRAS by *Bacillus pumilus* ribonuclease (binase), " *Biochimica et Biophysica Acta*, vol. 1863, no. 7 Pt A, pp. 1559-1567, 2016.
- [28] K. M. Burnysheva, I. Y. Petrushanko, P. V. Spirin, V. S. Prassolov, A. A. Makarov, and V. A. Mitkevich, "Ribonuclease binase induces death in T-cell acute lymphoblastic leukemia cells by apoptosis, " *Molecular Biology (Moscow)*, vol. 50, no. 2, pp. 347-352, 2016.
- [29] J. A. Hamilton, "Colony-stimulating factors in inflammation and autoimmunity, " *Nature Reviews Immunology*, vol. 8, no. 7, pp. 533-544, 2008.
- [30] T. Lawrence and G. Natoli, "Transcriptional regulation of macrophage polarization: enabling diversity with identity, " *Nature Reviews Immunology*, vol. 11, no. 11, pp. 750-761, 2011.
- [31] R. Noy and J. W. Pollard, "Tumor-associated macrophages: from mechanisms to therapy, " *Immunity*, vol. 41, no. 1, pp. 49-61, 2014.
- [32] T. A. Wynn, A. Chawla, and J. W. Pollard, "Macrophage biology in development, homeostasis and disease, " *Nature*, vol. 496, no. 7446, pp. 445-455, 2013.
- [33] L. B. Rivera and G. Bergers, "Location, location, location: macrophage positioning within tumors determines pro-or antitumor activity, " *Cancer Cell*, vol. 24, no. 6, pp. 687-689, 2013.

- [34] A. Sica and V. Bronte, "Altered macrophage differentiation and immune dysfunction in tumor development, " *The Journal of Clinical Investigation*, vol. 117, no. 5, pp. 1155-1166, 2007.
- [35] F. Balkwill, "Cancer and the chemokine network, " *Nature Reviews Cancer*, vol. 4, no. 7, pp. 540-550, 2004.
- [36] H. A. Cabrera-Fuentes, M. L. Lopez, S. McCurdy et al., "Regulation of monocyte/macrophage polarisation by extracellular RNA, " *Thrombosis and Haemostasis*, vol. 113, no. 3, pp. 473-481, 2015.
- [37] S. K. Biswas and C. E. Lewis, "NF-kappaB as a central regulator of macrophage function in tumors, " *Journal of Leukocyte Biology*, vol. 88, no. 5, pp. 877-884, 2010.
- [38] C. Y. Sasaki, T. J. Barberi, P. Ghosh, and D. L. Longo, "Phosphorylation of RelA/p65 on serine 536 defines an I{kappa}B{alpha}-independent NF-{kappa}B pathway, " *The Journal of Biological Chemistry*, vol. 280, no. 41, pp. 34538-34547, 2005.
- [39] M. W. Mayo and A. S. Baldwin, "The transcription factor NFkappaB: control of oncogenesis and cancer therapy resistance, " *Biochimica et Biophysica Acta*, vol. 1470, no. 2, pp. M55-M62, 2000.
- [40] L. Connelly, W. Barham, H. M. Onishko et al., "NF-kappaB activation within macrophages leads to an anti-tumor phenotype in a mammary tumor lung metastasis model, " *Breast Cancer Research*, vol. 13, no. 4, p. R83, 2011.
- [41] H. Liu, Y. Ma, L. J. Pagliari et al., "TNF-alpha-induced apoptosis of macrophages following inhibition of NF-kappa B: a central role for disruption of mitochondria, " *Journal of Immunology*, vol. 172, no. 3, pp. 1907-1915, 2004.
- [42] S. Janssens and R. Beyaert, "A universal role for MyD88 in TLR/IL-1R-mediated signaling, " *Trends in Biochemical Sciences*, vol. 27, no. 9, pp. 474-482, 2002.
- [43] S. Simseyilmaz, H. A. Cabrera-Fuentes, S. Meiler et al., "Response to letter regarding article "role of extracellular RNA in atherosclerotic plaque formation in mice", " *Circulation*, vol. 130, no. 16, pp. e144-e145, 2014.
- [44] S. Simseyilmaz, H. A. Cabrera-Fuentes, S. Meiler et al., "Role of extracellular RNA in atherosclerotic plaque formation in mice, " *Circulation*, vol. 129, no. 5, pp. 598-606, 2014.
- [45] R. Medzhitov, P. Preston-Hurlburt, and C. A. Janeway, "A human homologue of the Drosophila Toll protein signals activation of adaptive immunity, " *Nature*, vol. 388, no. 6640, pp. 394-397, 1997.
- [46] S. C. Sun and S. C. Ley, "New insights into NF-kappaB regulation and function, " *Trends in Immunology*, vol. 29, no. 10, pp. 469-478, 2008.
- [47] S. C. Sun, "Non-canonical NF-kappaB signaling pathway, " *Cell Research*, vol. 21, no. 1, pp. 71-85, 2011.