

# Symmetry Influence on the Rotation of Molecules in Crystals

Islamov D., Shtyrin V., Serov N., Fedyanin I., Lyssenko K.  
*Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia*

---

## Abstract

© 2017 American Chemical Society. It was shown that rotational mobility of molecules in crystals is affected by the symmetry of their surroundings. A hypothesis was proposed for the discovered correlation. Three cases are possible for the location of the molecules with respect to the crystallographic symmetry elements: I - the location in a general position; II - the location in special positions without symmetry disordering; III - the location in special positions with symmetry disordering. According to the experimental data, the rotation barrier heights at the location of the molecules in cases I and III are lower than in case II. This fact is explained by the amplitude and phase shifts of the rotational energy profiles of two parts of the molecule in case I and by increasing the number of minima on the rotation barrier profile at disordering the molecules by symmetry in case III. The way is proposed for lowering the rotational barrier of molecules in crystals.

<http://dx.doi.org/10.1021/acs.cgd.7b00588>

---

## References

- [1] Desiraju, G. R. *Crystal Design: Structure and Function; Perspectives in Supramolecular Chemistry*; Wiley: Chichester, U.K., 2003; Vol. 7.
- [2] Stupp, S. I.; LeBonheur, V.; Walker, K.; Li, L. S.; Huggins, K. E.; Keser, M.; Amstutz, A. *Supramolecular Materials: Self-Organized Nanostructures* *Science* 1997, 276, 384-389 10.1126/science.276.5311.384
- [3] Russell, V. A.; Evans, C. C.; Li, W.; Ward, M. D. *Nanoporous Molecular Sandwiches: Pillared Two-Dimensional Hydrogen-Bonded Networks with Adjustable Porosity* *Science* 1997, 276, 575-579 10.1126/science.276.5312.575
- [4] Desiraju, G. R. *Supramolecular Synthons in Crystal Engineering-a New Organic Synthesis* *Angew. Chem., Int. Ed. Engl.* 1995, 34, 2311-2327 10.1002/anie.199523111
- [5] Dunitz, J. D.; Maverick, E. F.; Trueblood, K. N. *Atomic Motions in Molecular Crystals from Diffraction Measurements* *Angew. Chem., Int. Ed. Engl.* 1988, 27, 880-895 10.1002/anie.198808801
- [6] Kottas, G. S.; Clarke, L. I.; Horinek, D.; Michl, J. *Artificial Molecular Rotors* *Chem. Rev.* 2005, 105, 1281-1376 10.1021/cr0300993
- [7] Erbas-Cakmak, S.; Leigh, D. A.; McTernan, C. T.; Nussbaumer, A. L. *Artificial Molecular Machines* *Chem. Rev.* 2015, 115, 10081-10206 10.1021/acs.chemrev.5b00146
- [8] Abendroth, J. M.; Bushuyev, O. S.; Weiss, P. S.; Barrett, C. J. *Controlling Motion at the Nanoscale: Rise of the Molecular Machines* *ACS Nano* 2015, 9, 7746-7768 10.1021/acsnano.5b03367
- [9] Zarra, S.; Wood, D. M.; Roberts, D. A.; Nitschke, J. R. *Molecular Containers in Complex Chemical Systems* *Chem. Soc. Rev.* 2015, 44, 419-432 10.1039/C4CS00165F
- [10] Vogelsberg, C. S.; Garcia-Garibay, M. A. *Crystalline Molecular Machines: Function, Phase Order, Dimensionality, and Composition* *Chem. Soc. Rev.* 2012, 41, 1892-1910 10.1039/C1CS15197E

- [11] Naumov, P.; Chizhik, S.; Panda, M. K.; Nath, N. K.; Boldyreva, E. Mechanically Responsive Molecular Crystals Chem. Rev. 2015, 115, 12440-12490 10.1021/acs.chemrev.5b00398
- [12] López-Duarte, I.; Vu, T. T.; Izquierdo, M. A.; Bull, J. A.; Kuimova, M. K. A Molecular Rotor for Measuring Viscosity in Plasma Membranes of Live Cells Chem. Commun. 2014, 50, 5282-5284 10.1039/C3CC47530A
- [13] Zhang, Y.; Zhang, W.; Li, S.-H.; Ye, Q.; Cai, H.-L.; Deng, F.; Xiong, R.-G.; Huang, S. D. Ferroelectricity Induced by Ordering of Twisting Motion in a Molecular Rotor J. Am. Chem. Soc. 2012, 134, 11044-11049 10.1021/ja3047427
- [14] Sun, Z. H.; Luo, J. H.; Zhang, S. Q.; Ji, C. M.; Zhou, L.; Li, S. H.; Deng, F.; Hong, M. C. Solid-State Reversible Quadratic Nonlinear Optical Molecular Switch with an Exceptionally Large Contrast Adv. Mater. 2013, 25, 4159-4163 10.1002/adma.201301685
- [15] Akutagawa, T.; Hasegawa, T.; Nakamura, T.; Takeda, S.; Inabe, T.; Sugiura, K.; Sakata, T.; Underhill, A. E. Ionic Channel Structures in [(M) ([18]crown-6)][Ni(dmit)] Molecular Conductors Chem.-Eur. J. 2001, 7, 4902-4912 10.1002/1521-3765(20011119)7:22<4902::AID-CHEM4902>3.0.CO;2-F
- [16] Akutagawa, T.; Koshinaka, H.; Sato, D.; Takeda, S.; Noro, S.; Takahashi, H.; Kumai, R.; Tokura, Y.; Nakamura, T. Ferroelectricity and Polarity Control in Solid-State Flip-Flop Supramolecular Rotators Nat. Mater. 2009, 8, 342-347 10.1038/nmat2377
- [17] Akutagawa, T.; Shitagami, K.; Nishihara, S.; Takeda, S.; Hasegawa, T.; Nakamura, T.; Hosokoshi, Y.; Inoue, K.; Ikeuchi, S.; Miyazaki, Y.; Saito, K. Molecular Rotor of Cs([18] crown-6) in the Solid State Coupled with the Magnetism of [Ni(dmit)] J. Am. Chem. Soc. 2005, 127, 4397-4402 10.1021/ja043527a
- [18] Pauling, L. The Rotational Motion of Molecules in Crystals Phys. Rev. 1930, 36, 430-443 10.1103/PhysRev.36.430
- [19] Trueblood, K. N.; Dunitz, J. D. Internal Molecular Motions in Crystals. The Estimation of Force Constants, Frequencies and Barriers from Diffraction Data. A Feasibility Study Acta Crystallogr., Sect. B: Struct. Sci. 1983, 39, 120-133 10.1107/S0108768183002104
- [20] Hedberg, L.; Hedberg, K.; Kohler, D. A.; Ritter, D. M.; Schomaker, V. Electron-Diffraction Investigations of the Molecular Structures of Cis- and Trans-1, 2-Dimethyldiborane J. Am. Chem. Soc. 1980, 102, 3430-3434 10.1021/ja00530a021
- [21] Haaland, A.; Nilsson, J. E. The Determination of Barriers to Internal Rotation by Means of Electron Diffraction. Ferrocene and Ruthenocene Acta Chem. Scand. 1968, 22, 2653-2670 10.3891/acta.chem.scand.22-2653
- [22] Karlen, S. D.; Reyes, H.; Taylor, R.; Khan, S. I.; Hawthorne, M. F.; Garcia-Garibay, M. A. Symmetry and Dynamics of Molecular Rotors in Amphidynamic Molecular Crystals Proc. Natl. Acad. Sci. U. S. A. 2010, 107, 14973-14977 10.1073/pnas.1008213107
- [23] Kataeva, O.; Khrizanforov, M.; Budnikova, Y.; Islamov, D.; Burganov, T.; Vandyukov, A.; Lyssenko, K.; Mahns, B.; Nohr, M.; Hampel, S.; Knupfer, M. Crystal Growth, Dynamic and Charge Transfer Properties of New Coronene Charge Transfer Complexes Cryst. Growth Des. 2016, 16, 331-338 10.1021/acs.cgd.5b01301
- [24] Frisch, M. J.; Trucks, G. W.; Schlegel, H. B.; Scuseria, G. E.; Robb, M. A.; Cheeseman, J. R.; Scalmani, G.; Barone, V.; Mennucci, B.; Petersson, G. A.; Nakatsuji, H.; Caricato, M.; Li, X.; Hratchian, H. P.; Izmaylov, A. F.; Bloino, J.; Zheng, G.; Sonnenberg, J. L.; Hada, M.; Ehara, M.; Toyota, K.; Fukuda, R.; Hasegawa, J.; Ishida, M.; Nakajima, T.; Honda, Y.; Kitao, O.; Nakai, H.; Vreven, T.; Montgomery, J. A.; Peralta, Jr., J. E.; Ogliaro, F.; Bearpark, M.; Heyd, J. J.; Brothers, E.; Kudin, K. N.; Staroverov, V. N.; Kobayashi, R.; Normand, J.; Raghavachari, K.; Rendell, A.; Burant, J. C.; Iyengar, S. S.; Tomasi, J.; Cossi, M.; Rega, N.; M. Millam, J.; Klene, M.; Knox, J. E.; Cross, J. B.; Bakken, V.; Adamo, C.; Jaramillo, J.; Gomperts, R.; Stratmann, R. E.; Yazyev, O.; Austin, A. J.; Cammi, R.; Pomelli, C.; Ochterski, J. W.; Martin, R. L.; Morokuma, K.; Zakrzewski, V. G.; Voth, G. A.; Salvador, P.; Dannenberg, J. J.; Dapprich, S.; Daniels, A. D.; Farkas, O.; Foresman, J. B.; Ortiz, J. V.; Cioslowski, J.; Fox, D. J. Gaussian 09; Gaussian, Inc.: Wallingford, CT, 2009.
- [25] Lyssenko, K. A.; Korlyukov, A. A.; Golovanov, D. G.; Ketkov, S. Yu.; Antipin, M. Yu. Estimation of the Barrier to Rotation of Benzene in the (H-CH)Cr Crystal Via Topological Analysis of the Electron Density Distribution Function J. Phys. Chem. A 2006, 110, 6545-6551 10.1021/jp057516v
- [26] Katrusiak, A.; Podsiadlo, M.; Budzianowski, A. Association CH $\cdots$   $\pi$  and No van der Waals Contacts at the Lowest Limits of Crystalline Benzene I and II Stability Regions Cryst. Growth Des. 2010, 10, 3461-3465 10.1021/cg1002594
- [27] Fujara, F.; Petry, W.; Schnauss, W.; Sillescu, H. Reorientation of Benzene in Its Crystalline State: A Model Case for the Analogy between Nuclear Magnetic Resonance Spin Alignment and Quasielastic Incoherent Neutron Scattering J. Chem. Phys. 1988, 89, 1801-1806 10.1063/1.455127
- [28] Dominguez, Z.; Dang, H.; Strouse, M. J.; Garcia-Garibay, M. A. Molecular "Compasses" and "Gyroscopes." III. Dynamics of a Phenylene Rotor and Clathrated Benzene in a Slipping-Gear Crystal Lattice J. Am. Chem. Soc. 2002, 124, 7719-7727 10.1021/ja025753v
- [29] Etter, M. C.; Urbanczyk-Lipkowska, Z.; Jahn, D. A. Solid-State Structural Characterization of 1, 3-Cyclohexanedione and of a 6:1 Cyclohexanedione-Benzene Cyclamer Complex, a Novel Host-Guest Species J. Am. Chem. Soc. 1986, 108, 5871-5876 10.1021/ja00279a035

- [30] Ok, J. H.; Vold, R. R.; Vold, R. L.; Etter, M. C. Deuterium NMR Measurements of Rotation and Libration of Benzene in a Solid-State Cyclamer J. Phys. Chem. 1989, 93, 7618-7624 10.1021/j100359a018
- [31] Raiteri, P.; Martonak, R.; Parrinello, M. Exploring Polymorphism: the Case of Benzene Angew. Chem., Int. Ed. 2005, 44, 3769-3773 10.1002/anie.200462760
- [32] XP Molecular Graphics; Bruker AXS, Inc.: Madison, WI, USA, 2002.
- [33] Maverick, E.; Dunitz, J. D. Rotation Barriers in Crystals from Atomic Displacement Parameters Mol. Phys. 1987, 62, 451-459 10.1080/00268978700102321
- [34] Holm, C. H.; Ibers, J. A. NMR Study of Ferrocene, Ruthenocene, and Titanocene Dichloride J. Chem. Phys. 1959, 30, 885-888 10.1063/1.1730120
- [35] Campbell, A. J.; Fyfe, C. A.; Harold-Smith, D.; Jeffrey, K. R. An Investigation of the Dynamic Structures of Ferrocene, Ruthenocene and Dibenzenechromium in the Solid State and in Solution Mol. Cryst. Liq. Cryst. 1976, 36, 1-23 10.1080/00268947608084827
- [36] Kubo, A.; Ikeda, R.; Nakamura, D. Motion of CH Rings in Three Crystalline Modifications of Ferrocene as Studied by <sup>1</sup>H NMR Chem. Lett. 1981, 10, 1497-1500 10.1246/cl.1981.1497
- [37] Gardner, A. B.; Howard, J.; Waddington, T. C.; Richardson, R. M.; Tomkinson, J. The Dynamics of Ring Rotation in Ferrocene, Nickelocene and Ruthenocene by Incoherent Quasi-Elastic Neutron Scattering Chem. Phys. 1981, 57, 453-460 10.1016/0301-0104(81)80224-8
- [38] Müller, M.; Edwards, A. J.; Prout, K.; Simpson, W. M.; Heyes, S. J. (Deoxycholic Acid) 2: Ferrocene: a Phase Transition Determined by the Dynamic Behavior of the Included Guest Molecules Chem. Mater. 2000, 12, 1314-1322 10.1021/cm990654a
- [39] Heyes, S. J.; Dobson, C. M. C Cross-Polarization/Magic Angle Spinning and <sup>2</sup>H NMR Studies of the Structure and Dynamics of the (Deoxycholic Acid) 2-Ferrocene Inclusion Compound Magn. Reson. Chem. 1990, 28, S37-S46 10.1002/mrc.1260281309
- [40] Mitschler, A.; Rees, B.; Lehmann, M. S. Electron Density in Bis (Dicarbonyl-  $\pi$ -Cyclopentadienyliron) at Liquid Nitrogen Temperature by X-Ray and Neutron Diffraction J. Am. Chem. Soc. 1978, 100, 3390-3397 10.1021/ja00479a022
- [41] Altbach, M. I.; Hiyama, Y.; Wittebort, R. J.; Butler, L. G. Rotation of the Cyclopentadienyl Ligand in Bis ( $\mu$ -Carbonyl) Bis (Carbonylcyclopentadienyliron)(Fe-Fe) in the Solid State as Determined from Solid-State Deuterium NMR Spectroscopy Inorg. Chem. 1990, 29, 741-747 10.1021/ic00329a034
- [42] Seiler, P.; Dunitz, J. D. The Structure of Nickelocene at Room Temperature and at 101 K Acta Crystallogr., Sect. B: Struct. Crystallogr. Cryst. Chem. 1980, 36, 2255-2260 10.1107/S0567740880008539
- [43] Chhor, K.; Lucazeau, G.; Sourisseau, C. Vibrational Study of the Dynamic Disorder in Nickelocene and Ferrocene Crystals J. Raman Spectrosc. 1981, 11, 183-198 10.1002/jrs.1250110308
- [44] Sourisseau, C.; Lucazeau, G.; Dianoux, A. J.; Poinsignon, C. Neutron Scattering Study of the Reorientational Motions in Ni(CH) Mol. Phys. 1983, 48, 367-377 10.1080/00268978300100271
- [45] Azokpota, C.; Pommier, C.; Berar, J. F.; Calvarin, G. Etudes Calorimetrique et Radiocristallographique du Cobaltocene et du Ruthenocene entre 77 et 298 K J. Organomet. Chem. 1977, 135, 125-135 10.1016/S0022-328X(00)91696-6
- [46] Borissova, A. O.; Antipin, M. Y.; Perekalin, D. S.; Lyssenko, K. A. Crucial Role of Ru...H Interactions in the Crystal Packing of Ruthenocene and Its Derivatives CrystEngComm 2008, 10, 827-832 10.1039/b716776h
- [47] Clearfield, A.; Warner, D. K.; Saldarriaga-Molina, C. H.; Ropal, R.; Bernal, I. Structural Studies of ( $\pi$ -CH)MX Complexes and Their Derivatives. The Structure of Bis ( $\pi$ -Cyclopentadienyl) Titanium Dichloride Can. J. Chem. 1975, 53, 1622-1629 10.1139/v75-228
- [48] Yoshida, Y.; Kumagai, Y.; Mizuno, M.; Isomura, K.; Nakamura, Y.; Kishida, H.; Saito, G. Improved Dynamic Properties of Charge-Transfer-Type Supramolecular Rotor Composed of Coronene and F4TCNQ Cryst. Growth Des. 2015, 15, 5513-5518 10.1021/acs.cgd.5b01138
- [49] Yoshida, Y.; Kumagai, Y.; Mizuno, M.; Saito, G. Structure-Property Relationship of Supramolecular Rotators of Coronene in Charge-Transfer Solids Cryst. Growth Des. 2015, 15, 1389-1394 10.1021/cg5017774
- [50] Yoshida, Y.; Shimizu, Y.; Yajima, T.; Maruta, G.; Takeda, S.; Nakano, Y.; Hiramatsu, T.; Kageyama, H.; Yamochi, H.; Saito, G. Molecular Rotors of Coronene in Charge-Transfer Solids Chem.-Eur. J. 2013, 19, 12313-12324 10.1002/chem.201300578
- [51] Chi, X.; Besnard, C.; Thorsmolle, V. K.; Butko, V. Y.; Taylor, A. J.; Siegrist, T.; Ramirez, A. P. Structure and Transport Properties of the Charge-Transfer Salt Coronene- TCNQ Chem. Mater. 2004, 16, 5751-5755 10.1021/cm049187+
- [52] Yoshida, Y.; Maesato, M.; Kumagai, Y.; Mizuno, M.; Isomura, K.; Kishida, H.; Izumi, M.; Kubozono, Y.; Otsuka, A.; Yamochi, H.; Saito, G.; Kirakci, K.; Cordier, S.; Perrin, C. Isotropic Three-Dimensional Molecular Conductor Based on the Coronene Radical Cation Eur. J. Inorg. Chem. 2014, 2014, 3871-3878 10.1002/ejic.201400119
- [53] Mirtschin, S.; Slabon-Turski, A.; Scopelliti, R.; Velders, A. H.; Severin, K. A Coordination Cage with an Adaptable Cavity Size J. Am. Chem. Soc. 2010, 132, 14004-14005 10.1021/ja1063789

- [54] Icli, B.; Solari, E.; Kilbas, B.; Scopelliti, R.; Severin, K. Multicomponent Assembly of Macrocycles and Polymers by Coordination of Pyridyl Ligands to 1, 4-Bis (benzodioxaborole) benzene Chem.-Eur. J. 2012, 18, 14867-14874 10.1002/chem.201202313
- [55] Han, Y. F.; Jin, G. X. Flexible Organometallic Cages: Efficient Formation by C-H Activation-Directed Multicomponent Assembly, Isomerization, and Host-Guest Properties Chem.-Asian J. 2011, 6, 1348-1352 10.1002/asia.201100080
- [56] Han, Y. F.; Li, H.; Zheng, Z. F.; Jin, G. X. Self-Assembled Hexanuclear Organometallic Cages: Synthesis, Characterization, and Host-Guest Properties Chem.-Asian J. 2012, 7, 1243-1250 10.1002/asia.201100999
- [57] Sekiya, R.; Nishikiori, S. I. Structural Extension from an Isonicotinic Acid Dimer to 4-(4-Pyridyl) benzoic Acid (pybenH) Dimer: X-ray Crystal Structure Analysis and Inclusion Properties of a Hydrogen-Bonded Coordination Polymer [Ni(SCN)(pybenH)] Cryst. Growth Des. 2011, 11, 5574-5591 10.1021/cg201141k
- [58] Filatov, A. S.; Sumner, N. J.; Spisak, S. N.; Zabula, A. V.; Rogachev, A. Y.; Petrukhina, M. A. Jahn-Teller Effect in Circulenes: X-ray Diffraction Study of Coronene and Corannulene Radical Anions Chem.-Eur. J. 2012, 18, 15753-15760 10.1002/chem.201202026
- [59] Kilbas, B.; Mirtschin, S.; Riis-Johannessen, T.; Scopelliti, R.; Severin, K. Dicarboxylate-Bridged Ruthenium Complexes as Building Blocks for Molecular Nanostructures Inorg. Chem. 2012, 51, 5795-5804 10.1021/ic300330p