

Selaginella bryopteris Aqueous Extract Improves Stability and Function of Cryopreserved Human Mesenchymal Stem Cells

Singh A., Jha A., Bit A., Kiassov A., Rizvanov A., Ojha A., Bhoi P., Patra P., Kumar A., Bissoyi A.
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2017 Abhishek Kumar Singh et al. The effective long-term cryopreservation of human mesenchymal stem cells (MSCs) is an essential prerequisite step and represents a critical approach for their sustained supply in basic research, regenerative medicine, and tissue engineering applications. Therefore, attempts have been made in the present investigation to formulate a freezing solution consisting of a combination of *Selaginella bryopteris* water-soluble extract with and without dimethyl sulfoxide (Me₂SO) for the efficient long-term storage of human umbilical cord blood- (hUCB-) derived MSCs. The cryopreservation experiment using the formulated freezing solution was further performed with hUCB MSCs in a controlled rate freezer. A significant increase in postthaw cell viability and cell attachment of MSCs was achieved with freezing medium containing *Selaginella bryopteris* water extract along with 10% Me₂SO as compared to the freezing medium containing Me₂SO (10% v/v) alone. Furthermore, the decreasing apoptotic events and reactive oxygen species production along with increasing expression of heat shock proteins also confirmed the beneficial effect of *Selaginella bryopteris* water extract. The beneficial effect of *Selaginella bryopteris* water extract was validated by its ability to render postpreservation high cell viability. In conclusion, the formulated freezing solution has been demonstrated to be effective for the standardization of cryopreservation protocol for hMSCs.

<http://dx.doi.org/10.1155/2017/8530656>

References

- [1] A. Giordano, U. Galderisi, and I. R. Marino, "From the laboratory bench to the patient's bedside: an update on clinical trials with mesenchymal stem cells," *Journal of Cellular Physiology*, vol. 211, pp. 27-35, 2007.
- [2] N. D'souza, J. S. Burns, G. Grisendi et al., "MSC and tumors: homing, differentiation, and secretion influence therapeutic potential," *Advances in Biochemical Engineering/Biotechnology*, vol. 130, pp. 209-266, 2012.
- [3] L. A. Marquez-Curtis, A. Janowska-Wieczorek, L. E. McGann, and J. A. W. Elliott, "Mesenchymal stromal cells derived from various tissues: biological, clinical and cryopreservation aspects," *Cryobiology*, vol. 71, pp. 181-197, 2015.
- [4] M. Sasaki and O. Honmou, "Mesenchymal stem cells," in *Cell Therapy against Cerebral Stroke*, Springer, Japan, Tokyo, 2017.
- [5] O. W. Gramlich, A. J. Burand, A. J. Brown, R. J. Deutsch, M. H. Kuehn, and J. A. Ankrum, "Cryopreserved mesenchymal stromal cells maintain potency in a retinal ischemia/ reperfusion injury model: toward an off-the-shelf therapy," *Scientific Reports*, vol. 6, article 26463, 2016.
- [6] F. Ginani, D. M. Soares, and C. A. Barboza, "Effect of a cryopreservation protocol on the in vitro yield of adipose-derived stem cells," *Revista Brasileira de Cirurgia Plástica*, vol. 27, pp. 359-363, 2012.

- [7] K. Luo, G. Wu, Q. Wang, Y. Sun, and H. Liu, "Effect of dimethylsulfoxide and hydroxyethyl starch in the preservation of fractionated human marrow cells, " *Cryobiology*, vol. 31, pp. 349-354, 1994.
- [8] A. Bissoyi and K. Pramanik, "Effects of non-toxic cryoprotective agents on the viability of cord blood derived MNCs, " *Cryoletters*, vol. 34, no. 5, pp. 453-465, 2013.
- [9] K. G. Jain, S. Mohanty, A. R. Ray, R. Malhotra, and B. Airan, "Culture and differentiation of mesenchymal stem cell into osteoblast on degradable biomedical composite scaffold: in vitro study, " *The Indian Journal of Medical Research*, vol. 142, pp. 747-758, 2015.
- [10] C. J. Hunt, "Cryopreservation: vitrification and controlled rate cooling, " *Methods in Molecular Biology*, vol. 1590, pp. 41-77, 2017.
- [11] Z. Yuan, S. D. S. Lourenco, E. K. Sage, K. K. Kolluri, M. W. Lowdell, and S. M. Janes, "Cryopreservation of human mesenchymal stromal cells expressing TRAIL for human anti-cancer therapy, " *Cytotherapy*, vol. 18, pp. 860-869, 2016.
- [12] V. P. Varma, L. Devi, N. K. Venna, C. L. N. Murthy, M. M. Idris, and S. Goel, "Ocular fluid as a replacement for serum in cell cryopreservation media, " *PloS One*, vol. 10, article e0131291, 2015.
- [13] A. Dogan, M. E. Yalvac, A. Y?lmaz, A. A. Rizvanov, and F. Sahin, "Effect of f68 on cryopreservation of mesenchymal stem cells derived from human tooth germ, " *Applied Biochemistry and Biotechnology*, vol. 171, pp. 1819-1831, 2013.
- [14] M. E. Yalvac, M. Ramazanoglu, M. Tekguc et al., "Human tooth germ stem cells preserve neuro-protective effects after long-term cryo-preservation, " *Current Neurovascular Research*, vol. 7, pp. 49-58, 2010.
- [15] P. K. Mishra, G. V. Raghuram, A. Bhargava et al., "In vitro and in vivo evaluation of the anticarcinogenic and cancer chemopreventive potential of a flavonoid-rich fraction from a traditional Indian herb *Selaginella bryopteris*, " *The British Journal of Nutrition*, vol. 106, pp. 1154-1168, 2011.
- [16] T. S. Gechev, J. Hille, H. J. Woerdenbag et al., "Natural products from resurrection plants: potential for medical applications, " *Biotechnology Advances*, vol. 32, pp. 1091-1101, 2014.
- [17] N. K. Sah, S. N. P. Singh, S. Sahdev et al., "Indian herb "Sanjeevani" (*Selaginella bryopteris*) can promote growth and protect against heat shock and apoptotic activities of ultra violet and oxidative stress, " *Journal of Biosciences*, vol. 30, pp. 499-505, 2005.
- [18] G. Chandran and Muralidhara, "Insights on the neuromodulatory propensity of *Selaginella* (*Sanjeevani*) and its potential pharmacological applications, " *CNS & Neurological Disorders-Drug Targets*, vol. 13, no. 1, pp. 82-95, 2014.
- [19] O. Kunert, R. C. Swamy, M. Kaiser et al., "Antiplasmodial and leishmanicidal activity of biflavonoids from Indian *Selaginella bryopteris*, " *Phytochemistry Letters*, vol. 1, no. 4, pp. 171-174, 2008.
- [20] M. Haack-Sørensen and J. Kastrup, "Cryopreservation and revival of mesenchymal stromal cells, " *Methods in Molecular Biology*, vol. 698, pp. 161-174, 2011.
- [21] J. M. Crook and E. Tomaskovic-Crook, "Culturing and cryobanking human neural stem cells, " *Methods in Molecular Biology*, vol. 1590, pp. 199-206, 2017.
- [22] A. Pavón, I. Beloqui, J. M. Salcedo, and A. G. Martin, "Cryobanking mesenchymal stem cells, " *Methods in Molecular Biology*, vol. 1590, pp. 191-196, 2017.
- [23] T. A. Lyons, X. F. Amouretti, P. G. Held, and J. J. Naleway, "Development of a live-cell based reactive oxygen species (ROS) assay for use in high-content screening of drug candidates using the BioTek synergy mx microplate reader, " vol. 807, 2008.
- [24] L. Dalcin, R. C. Silva, F. Paulini, B. D. M. Silva, J. P. Neves, and C. M. Lucci, "Cytoskeleton structure, pattern of mitochondrial activity and ultrastructure of frozen or vitrified sheep embryos, " *Cryobiology*, vol. 67, pp. 137-145, 2013.
- [25] I. Roato, D. Alotto, D. C. Belisario et al., "Adipose derived mesenchymal stem cells viability and differentiating features for orthopaedic reparative applications: banking of adipose tissue, " *Stem Cells International*, vol. 2016, Article ID 4968724, 11 pages, 2016.
- [26] B. C. Bellagamba, B. R. R. d. Abreu, I. Grivicich et al., "Human mesenchymal stem cells are resistant to cytotoxic and genotoxic effects of cisplatin in vitro, " *Genetics and Molecular Biology*, vol. 39, pp. 129-134, 2016.
- [27] C. Death and S. Cells, "Role of the apoptosis pathway in cryopreservation-induced from umbilical cord blood, " *Biopreservation and Biobanking*, vol. 12, pp. 246-254, 2014.
- [28] A. K. Singh, A. Bissoyi, M. P. Kashyap, P. K. Patra, and S. I. Rizvi, "Autophagy activation alleviates amyloid--induced oxidative stress, apoptosis and neurotoxicity in human neuroblastoma SH-SY5Y cells, " *Neurotoxicity Research*, pp. 1-11, 2017.
- [29] S. S. Behera, U. Das, A. Kumar, A. Bissoyi, and A. K. Singh, "Chitosan/TiO₂ composite membrane improves proliferation and survival of L929 fibroblast cells: application in wound dressing and skin regeneration, " *International Journal of Biological Macromolecules*, vol. 98, pp. 329-340, 2017.

- [30] A. Bissoyi, A. Bit, B. K. Singh, A. K. Singh, and P. K. Patra, "Enhanced cryopreservation of MSCs in microfluidic bioreactor by regulated shear flow, " *Scientific Reports*, vol. 6, article 35416, 2016.
- [31] A. Bissoyi, A. Kumar, A. A. Rizvanov et al., "Recent advances and future direction in lyophilisation and desiccation of mesenchymal stem cells, " *Stem Cells International*, vol. 2016, Article ID 3604203, 9 pages, 2016.
- [32] E. Bradley, E. Bieberich, N. F. Mivechi, D. Tangpisuthipongsa, and G. Wang, "Regulation of embryonic stem cell pluripotency by heat shock protein 90, " *Stem Cells*, vol. 30, pp. 1624-1633, 2012.
- [33] G. C. Fan, "Role of heat shock proteins in stem cell behavior, " *Progress in Molecular Biology and Translational Science*, vol. 111, pp. 305-322, 2012.
- [34] Y. B. Chen, Y. W. Lan, T. H. Hung et al., "Mesenchymal stem cell-based HSP70 promoter-driven VEGFA induction by resveratrol promotes angiogenesis in a mouse model, " *Cell Stress & Chaperones*, vol. 20, pp. 643-652, 2015.
- [35] F. Gao, X. Hu, X. Xie et al., "Heat shock protein 90 protects rat mesenchymal stem cells against hypoxia and serum deprivation-induced apoptosis via the PI3K/Akt and ERK1/2 pathways, " *Journal of Zhejiang University Science. B*, vol. 11, pp. 608-617, 2010.
- [36] C. Munje, L. Shervington, Z. Khan, and A. Shervington, "Could upregulated Hsp70 protein compensate for the Hsp90-silence-induced cell death in glioma cells?, " *International Journal of Brain Science*, vol. 2014, Article ID 652643, 9 pages, 2014.
- [37] J. A. Park, Y. E. Kim, H. J. Seok, W. Y. Park, H. J. Kwon, and Y. H. Lee, "Differentiation and upregulation of heat shock protein 70 induced by a subset of histone deacetylase inhibitors in mouse and human embryonic stem cells, " *BMB Reports*, vol. 44, pp. 176-181, 2011.
- [38] W. Chang, B. W. Song, S. Lim et al., "Mesenchymal stem cells pretreated with delivered Hsp-1-Hsp70 protein are protected from hypoxia-mediated cell death and rescue heart functions from myocardial injury, " *Stem Cells*, vol. 27, no. 9, pp. 2283-2292, 2009.