

Structural and physical determinants of the proboscis-sucking pump complex in the evolution of fluid-feeding insects

Kornev K., Salamatin A., Adler P., Beard C.
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2017 The Author(s). Fluid-feeding insects have evolved a unique strategy to distribute the labor between a liquid-acquisition device (proboscis) and a sucking pump. We theoretically examined physical constraints associated with coupling of the proboscis and sucking pump into a united functional organ. Classification of fluid feeders with respect to the mechanism of energy dissipation is given by using only two dimensionless parameters that depend on the length and diameter of the proboscis food canal, maximum expansion of the sucking pump chamber, and chamber size. Five species of Lepidoptera - White-headed prominent moth (*Symmerista albifrons*), White-dotted prominent moth (*Nadata gibosa*), Monarch butterfly (*Danaus plexippus*), Carolina sphinx moth (*Manduca sexta*), and Death's head sphinx moth (*Acherontia atropos*) - were used to illustrate this classification. The results provide a rationale for categorizing fluid-feeding insects into two groups, depending on whether muscular energy is spent on moving fluid through the proboscis or through the pump. These findings are relevant to understanding energetic costs of evolutionary elaboration and reduction of the mouthparts and insect diversification through development of new habits by fluid-feeding insects in general and by Lepidoptera in particular.

<http://dx.doi.org/10.1038/s41598-017-06391-w>

References

- [1] Chapman, R. F. *The Insects: Structure and Function*, 4th edition (Cambridge University Press, 1998)
- [2] Kingsolver, J. G. & Daniel, T. L. Mechanics of food handling by fluid-feeding insects in *Regulatory Mechanisms in Insect Feeding* (eds. Chapman, R. F. & de Boer, G.) 32-74 (Springer, 1995)
- [3] Labandeira, C. C. Insect mouthparts: ascertaining the paleobiology of insect feeding strategies. *Annu. Rev. Ecol. Syst.* 28, 153-193 (1997)
- [4] Labandeira, C. C. The pollination of mid Mesozoic plants and the early history of long-proboscid insects. *Ann. Missouri Bot. Gard.* 97, 469-513 (2010)
- [5] Misof, B. et al. Phylogenomics resolves the timing and pattern of insect evolution. *Science* 346, 763-767 (2014)
- [6] Darwin, C. R. *The Various Contrivances by Which Orchids Are Fertilised by Insects*, 2nd edition (John Murray, 1904)
- [7] Arditti, J., Elliott, J., Kitching, I. J. & Wasserthal, L. T. 'Good Heavens what insect can suck it'-Charles Darwin, *Angraecum sesquipedale* and *Xanthopan morgani praedicta*. *Bot. J. Linn. Soc.* 169, 403-432 (2012)
- [8] Labandeira, C. C. & Phillips, T. L. Insect fluid-feeding on Upper Pennsylvanian tree ferns (Palaeodictyoptera, Marattiales) and the early history of the piercing-and-sucking functional feeding group. *Ann. Entomol. Soc. Am.* 89, 157-183 (1996)

- [9] Kristensen, N. P. Studies on the morphology and systematics of primitive Lepidoptera (Insecta). *Steenstrupia* 10, 141-191 (1984)
- [10] Kristensen, N. P., Rota, J. & Fischer, S. Notable plesiomorphies and notable specializations: head structure of the primitive "tongue moth" *Acanthopteroctetes unifascia* (Lepidoptera: Acanthopteroctetidae). *J. Morphol.* 275, 153-172
- [11] Krenn, H. W. & Kristensen, N. P. Early evolution of the proboscis of Lepidoptera: external morphology of the galea in basal glossatan moths, with remarks on the origin of the pilifers. *Zool. Anz.* 239, 179-196 (2000)
- [12] Lauder, G. V. The Intellectual Challenge of Biomechanics and Evolution in Vertebrate Biomechanics and Evolution (eds Bels, V. L., Gasc, J. P. & Casinos, A.) (Springer-Verlag, 2003)
- [13] Russell, E. S. *Form and Function* (John Murray, 1916)
- [14] Lauder, G. Biomechanics and evolution: integrating physical and historical biology in the context of complex systems in *Biomechanics in Evolution* (eds Rayner, J. M. V. & Wootton, R. J.) 1-19 (Cambridge University Press, 1991)
- [15] Lauder, G. V., Huey, R. B., Monson, R. K. & Jensen, R. J. Systematics and the study of organismal form and function. *Bioscience* 45, 696-704 (1995)
- [16] Lauder, G. V. & Shaffer, H. B. Functional design of feeding mechanisms in lower vertebrates: unidirectional and bidirectional flow systems in the tiger salamander. *Zool. J. Linn. Soc.* 88, 277-290 (1986)
- [17] Bennet-Clark, H. C. Negative pressures produced in the pharyngeal pump of the blood-sucking bug *Rhodnius prolixus*. *J. Exp. Biol.* 40, 223-229 (1963)
- [18] Tawfik, M. S. Feeding mechanisms and the forces involved in some blood-sucking insects. *Quaest. Entomol.* 4, 92-111 (1968)
- [19] Kingsolver, J. G. & Daniel, T. L. Mechanics and energetics of nectar feeding in butterflies. *J. Theor. Biol.* 76, 167-179 (1979)
- [20] Daniel, T. L. & Kingsolver, J. G. Feeding strategy and the mechanics of blood sucking insects. *J. Theor. Biol.* 105, 661-677 (1983)
- [21] Daniel, T. L., Kingsolver, J. G. & Meyhofer, E. Mechanical determinants of nectar feeding energetics in butterflies-muscle mechanics, feeding geometry, and functional equivalence. *Oecologia* 79, 66-75 (1989)
- [22] Krenn, H. W. Feeding mechanisms of adult Lepidoptera: structure, function, and evolution of the mouthparts. *Annu. Rev. Entomol.* 55, 307-327 (2010)
- [23] Borrell, B. J. & Krenn, H. W. Nectar feeding in long-proboscid insects in *Ecology and Biomechanics: A Mechanical Approach to the Ecology of Animals and Plants* (eds Herrel, A., Speck, T. & Rowe, N. P.) 185-205 (CRC Press, 2006)
- [24] Westneat, M. W., Socha, J. J. & Lee, W.-K. Advances in biological structure, function, and physiology using synchrotron X-ray imaging. *Annu. Rev. Physiol.* 70, 119-142 (2008)
- [25] Monaenkova, D. et al. Butterfly proboscis: combining a drinking straw with a nanosponge facilitated diversification of feeding habits. *J. R. Soc. Interface* 9, 720-726 (2012)
- [26] Lee, S. J., Lee, S. C. & Kim, B. H. Liquid-intake flow around the tip of butterfly proboscis. *J. Theor. Biol.* 348, 113-121 (2014)
- [27] Davis, N. T. & Hildebrand, J. G. Neuroanatomy of the sucking pump of the moth, *Manduca sexta* (Sphingidae, Lepidoptera). *Arthrop. Struct. Devel.* 35, 15-33 (2006)
- [28] Tsai, C.-C., Monaenkova, D., Beard, C. E., Adler, P. H. & Kornev, K. G. Paradox of the drinking-straw model of the butterfly proboscis. *J. Exp. Biol.* 217, 2130-2138 (2014)
- [29] Wigglesworth, V. B. *The Life of Insects*, 3rd edition (Weidenfeld and Nicolson, 1972)
- [30] Eisner, T. *For Love of Insects* (Belknap Press of Harvard University Press, 2005)
- [31] Shaw, S. R. *Planet of the Bugs* (University of Chicago Press, 2014)
- [32] McMahon, T. & Bonner, J. T. *On Size and Life* (W. H. Freeman & Co, 1983)
- [33] Rensch, B. Histological changes correlated with evolutionary changes of body size. *Evolution* 2, 218-230 (1948)
- [34] Polilov, A. A. Small is beautiful: features of the smallest insects and limits to miniaturization. *Annu. Rev. Entomol.* 60, 103-121 (2015)
- [35] Hanken, J. & Wake, D. B. Miniaturization of body size: organismal consequences and evolutionary significance. *Annu. Rev. Ecol. Syst.* 24, 501-519 (1993)
- [36] Auclair, J. L. Aphid feeding and nutrition. *Annu. Rev. Entomol.* 8, 439-490 (1963)
- [37] Barber, H. S. New Ptiliidae related to the smallest known beetle. *Proc. Entomol. Soc. Wash.* 26, 167-178 (1924)
- [38] Bauder, J. A. S., Handschuh, S., Metscher, B. D. & Krenn, H. W. Functional morphology of the feeding apparatus and evolution of proboscis length in metalmark butterflies (Lepidoptera: Riodinidae). *Biol. J. Linn. Soc.* 110, 291-304 (2013)

- [39] Karolyi, F., Colville, J. F., Handschuh, S., Metscher, B. D. & Krenn, H. W. One proboscis, two tasks: adaptations to blood-feeding and nectar-extracting in long-proboscid horse flies (Tabanidae, Philoliche). *Arthrop. Struct. Devel.* 43, 403-413 (2014)
- [40] Karolyi, F. et al. Time management and nectar flow: flower handling and suction feeding in long-proboscid flies (Nemestrinidae: Prosoeca). *Naturwissenschaften* 100, 1083-1093 (2013)
- [41] Brehm, G. et al. The unique sound production of the Death's-head hawkmoth (*Acherontia atropos* (Linnaeus, 1758)) revisited. *Sci. Nat.* 102, 43 (2015)
- [42] Eberhard, S. H. & Krenn, H. W. Anatomy of the oral valve in nymphalid butterflies and a functional model for fluid uptake in Lepidoptera. *Zool. Anz.* 243, 305-312 (2005)
- [43] Eastham, L. E. S. & Eassa, Y. E. E. The feeding mechanism of the butterfly *Pieris brassicae* L. *Phil. Trans. R. Soc. Lond. B, Biol. Sci.* 239, 1-43 (1955)
- [44] Vogel, S. Living in a physical world X. Pumping fluids through conduits. *J. Biosci.* 32, 207-222 (2007)
- [45] Bach, D., Schmich, F., Masselter, T. & Speck, T. A review of selected pumping systems in nature and engineering-potential biomimetic concepts for improving displacement pumps and pulsation damping. *Bioinsp. Biomim.* 10, 05101 (2015)
- [46] Lehane, M. J. *The Biology of Blood-Sucking in Insects*, 2nd edition (Cambridge University Press, 2005)
- [47] Vogel, S. *Life in Moving Fluids: The Physical Biology of Flow* (Princeton University Press, 1996)
- [48] Hele-Shaw, H. S. The flow of water. *Nature* 58, 34-36 (1898)
- [49] Batchelor, G. K. *An Introduction to Fluid Dynamics* (Cambridge University Press, 2000)
- [50] Womersley, J. R. Method for the calculation of velocity, rate of flow and viscous drag in arteries when the pressure gradient is known. *J. Physiol.* 127, 553-563 (1955)
- [51] Loudon, C. & Tordesillas, A. The use of the dimensionless Womersley number to characterize the unsteady nature of internal flow. *J. Theor. Biol.* 191, 63-78 (1998)
- [52] Stefan, J. Versuche fiber die scheinbare Adhlsion. *Sher. Akad. Wiss. Wirn.* 69, 713-735 (1874)
- [53] Reynolds, O. On the theory of the lubrication and its application to Mr. Beauchamps Tower's experiments including an experimental determination of the viscosity of olive oil. *Phil. Trans. R. Soc. Lond. B Biol. Sci.* 177, 157-234 (1886)
- [54] Grenon, J. F. & Walker, G. The tenacity of the limpet, *Patella vulgata* L.: an expermental approach. *J. Exper. Mar. Biol. Ecol.* 54, 277-308 (1981)
- [55] Krell, R. Value-added products from beekeeping. *FAO Agric. Serv. Bull.* 124 (Food and Agriculture Organization of the United Nations, 1996)
- [56] Tokarev, A. et al. Probing viscosity of nanoliter droplets of butterfly saliva by magnetic rotational spectroscopy. *Appl. Phys. Lett.* 102, 33701 (2013)
- [57] Pivnick, K. A. & McNeil, J. N. Effects of nectar concentration on butterfly feeding: measured feeding rates for *Thymelicus lineola* (Lepidoptera: HesperIIDae) and a general feeding model for adult Lepidoptera. *Oecologia* 66, 226-237 (1985)
- [58] Srivastava, R. P. & Bogawat, J. K. Feeding mechanism of a fruit-sucking moth *Othreis materna* (Lepidoptera: Noctuidae). *J. Nat. Hist.* 3, 165-181 (1969)
- [59] Adler, P. H. Soil-and puddle-visiting habits of moths. *J. Lepidop. Soc.* 36, 161-173 (1982)
- [60] Smedley, S. R. & Eisner, T. Sodium uptake by puddling in a moth. *Science* 270, 1816-1818 (1995)
- [61] Grant, J. I., Djani, D. M. & Lehnert, M. S. Functionality of a reduced proboscis: fluid uptake by *Phigalia strigataria* (Minot) (Geometridae: Ennominae). *J. Lepidop. Soc.* 66, 211-215 (2012)
- [62] Mitter, C., Davis, D. R. & Cummings, M. P. Phylogeny and evolution of Lepidoptera. *Annu. Rev. Entomol.* 62, 265-283 (2017)
- [63] Miller, J. S. Cladistics and classification of the Notodontidae (Lepidoptera: Noctuoidea) based on larval and adult morphology. *Bull. Am. Mus. Nat. Hist.* 204, 1-230 (1991)
- [64] Kornev, K. G., Monaenkova, D., Adler, P. H., Beard, C. E. & Lee, W.-K. The butterfly proboscis as a fiber-based, self-cleaning, micro-fluidic system. *Proc. Internat. Soc. Optics Photon.* 9797, 979705 (2016)
- [65] Banziger, H. The heaviest tear drinkers: ecology and systematics of new and unusual notodontid moths. *Nat. Hist. Bull. Siam Soc.* 36, (17-53 (1988)
- [66] Lehnert, M. S., Beard, C. E., Gerard, P. D., Kornev, K. G. & Adler, P. H. Structure of the lepidopteran proboscis in relation to feeding guild. *J. Morphol.* 277, 167-182 (2016)
- [67] Andruk, T., Monaenkova, D., Rubin, B., Lee, W. K. & Kornev, K. G. Meniscus formation in a capillary and the role of contact line friction. *Soft Matter* 10, 609-615 (2014)
- [68] Kwauk, K. J. et al. Drinking with an unsealed tube: fluid uptake along the butterfly proboscis. *Ann. Entomol. Soc. Am.* 107, 886-892 (2014)

- [69] Pivnick, K. A. & McNeil, J. N. Puddling in butterflies: sodium affects reproductive success in *Thymelicus lineola*. *Physiol. Entomol.* 12, 461-472 (1987)
- [70] Snodgrass, R. E. *Principles of Insect Morphology* (McGraw-Hill Book Co., 1935)
- [71] Campos, E. O., Bradshaw, H. D. & Daniel, T. L. Shape matters: corolla curvature improves nectar discovery in the hawkmoth *Manduca sexta*. *Funct. Ecol.* 29, 462-468 (2015).