

# Holmium iron borate: High-resolution spectroscopy and crystal-field parameters

Erofeev D., Chukalina E., Popova M., Malkin B., Bezmaternykh L., Gudim I.  
*Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia*

---

## Abstract

© The Authors, published by EDP Sciences. High-resolution transmission spectra of  $\text{HoFe}_3(\text{BO}_3)_4$  single crystals were measured in broad spectral (5000-23000  $\text{cm}^{-1}$ ) and temperature (1.7-300 K) ranges. Crystal-field energies of the Ho  $3+$  ions were determined for a paramagnetic and easy-Axis antiferromagnetic phases of the compound. On the basis of these data and of preliminary crystal-field calculations in the frame of the exchange-charge model, crystal-field parameters were found. A parameter of the isotropic Ho-Fe exchange interaction was estimated.

<http://dx.doi.org/10.1051/epjconf/201713203013>

---

## References

- [1] A.I. Popov, D.I. Plokhov, A.K. Zvezdin, *Phys. Rev. B* 87, 024413 (2013).
- [2] D.A. Erofeev, E.P. Chukalina, L.N. Bezmaternykh, I.A. Gudim, M.N. Popova, *Opt. Spectrosc.* 120, 558 (2016).
- [3] A.P. Abramov, N.I. Agladze, I.Y. Gerlovin, M.N. Popova, *Opt. Spectrosc.* 64, 1042 (1988).
- [4] B.Z. Malkin, *Ion-phonon interactions. Spectroscopic Properties of Rare Earths in Optical Materials* (Springer, Berlin, 2005).