

Mechanisms of long-term plasticity of hippocampal GABAergic synapses

Rozov A., Valiullina F., Bolshakov A.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2017, Pleiades Publishing, Ltd. Long-term potentiation and depression of synaptic transmission have been considered as cellular mechanisms of memory in studies conducted in recent decades. These studies were predominantly focused on mechanisms underlying plasticity at excitatory synapses. Nevertheless, normal central nervous system functioning requires maintenance of a balance between inhibition and excitation, suggesting existence of similar modulation of glutamatergic and GABAergic synapses. Here we review the involvement of G-protein-coupled receptors in the generation of long-term changes in synaptic transmission of inhibitory synapses. We considered the role of endocannabinoid and glutamate systems, GABAB and opioid receptors in the induction of long-term potentiation and long-term depression in inhibitory synapses. The preand postsynaptic effects of activation of these receptors are also discussed.

<http://dx.doi.org/10.1134/S0006297917030038>

Keywords

endocannabinoids, G-protein-coupled receptors, GABA receptor B, GABAergic synapses, hippocampus, long-term synaptic plasticity, opioid receptors

References

- [1] Bliss, T. V. P., and Lomo, T. (1973) Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path, *J. Physiol.*, 232, 331-356.
- [2] Vinogradova, O. S. (2001) Hippocampus as comparator: role of the two input and two output systems of the hippocampus in selection and registration of information, *Hippocampus*, 11, 578-598.
- [3] Pastalkova, E., Serrano, P., Pinkhasova, D., Wallace, E., Fenton, A. A., and Sacktor, T. C. (2006) Storage of spatial information by the maintenance mechanism of LTP, *Science*, 313, 1141-1144.
- [4] Whitlock, J. R., Heynen, A. J., Shuler, M. G., and Bear, M. F. (2006) Learning induces long-term potentiation in the hippocampus, *Science*, 313, 1093-1097.
- [5] Citri, A., and Malenka, R. C. (2007) Synaptic plasticity: multiple forms, functions, and mechanisms, *Neuropsychopharmacology*, 33, 18-41.
- [6] Somogyi, P., and Klausberger, T. (2005) Defined types of cortical interneurone structure space and spike timing in the hippocampus, *J. Physiol.*, 562, 9-26.
- [7] McLean, H. A., Caillard, O., Ben-Ari, Y., and Gaiarsa, J. L. (1996) Bidirectional plasticity expressed by GABAergic synapses in the neonatal rat hippocampus, *J. Physiol.*, 496, 471-477.
- [8] Caillard, O., Ben-Ari, Y., and Gaiarsa, J. L. (1999) Longterm potentiation of GABAergic synaptic transmission in neonatal rat hippocampus, *J. Physiol.*, 518, 109-119.

- [9] Caillard, O., Ben-Ari, Y., and Gaiarsa, J. L. (2000) Activation of presynaptic and postsynaptic ryanodinesensitive calcium stores is required for the induction of long-term depression at GABAergic synapses in the neonatal rat hippocampus amphetamine, *J. Neurosci.*, 20, RC94.
- [10] Ouardouz, M., and Sastry, B. R. (2000) Mechanisms underlying LTP of inhibitory synaptic transmission in the deep cerebellar nuclei, *J. Neurophysiol.*, 84, 1414-1421.
- [11] Lu, Y. M., Mansuy, I. M., Kandel, E. R., and Roder, J. (2000) Calcineurin-mediated LTD of GABAergic inhibition underlies the increased excitability of CA1 neurons associated with LTP, *Neuron*, 26, 197-205.
- [12] Wang, J., Liu, S., Haditsch, U., Tu, W., Cochrane, K., Ahmadian, G., Tran, L., Paw, J., Wang, Y., Mansuy, I., Salter, M. M., and Lu, Y. M. (2003) Interaction of calcineurin and type-A GABA receptor gamma 2 subunits produces long-term depression at CA1 inhibitory synapses, *J. Neurosci.*, 23, 826-836.
- [13] Semyanov, A., and Kullmann, D. M. (2000) Modulation of GABAergic signaling among interneurons by metabotropic glutamate receptors, *Neuron*, 25, 663-672.
- [14] Steindel, F., Lerner, R., Haring, M., Ruehle, S., Marsicano, G., Lutz, B., and Monory, K. (2013) Neurontype specific cannabinoid-mediated G protein signalling in mouse hippocampus, *J. Neurochem.*, 124, 795-807.
- [15] Wilson, R. I., Kunos, G., and Nicoll, R. A. (2001) Presynaptic specificity of endocannabinoid signaling in the hippocampus, *Neuron*, 31, 453-462.
- [16] Freund, T. F., and Katona, I. (2007) Perisomatic inhibition, *Neuron*, 56, 33-42.
- [17] Pitler, T. A., and Alger, B. E. (1992) Postsynaptic spike firing reduces synaptic GABA A responses in hippocampal pyramidal cells, *J. Neurosci.*, 12, 4122-4132.
- [18] Pitler, T. A., and Alger, B. E. (1994) Depolarization-induced suppression of GABAergic inhibition in rat hippocampal pyramidal cells: G protein involvement in a presynaptic mechanism, *Neuron*, 13, 1447-1455.
- [19] Alger, B. E. (2002) Retrograde signaling in the regulation of synaptic transmission: focus on endocannabinoids, *Prog. Neurobiol.*, 68, 247-286.
- [20] Wilson, R. I., and Nicoll, R. A. (2002) Endocannabinoid signaling in the brain, *Science*, 296, 678-682.
- [21] Chevaleyre, V., Takahashi, K. A., and Castillo, P. E. (2006) Endocannabinoid-mediated synaptic plasticity in the CNS, *Annu. Rev. Neurosci.*, 29, 37-76.
- [22] Kano, M., Ohno-Shosaku, T., Hashimoto, Y., Uchigashima, M., and Watanabe, M. (2009) Endocannabinoid-mediated control of synaptic transmission, *Physiol. Rev.*, 89, 309-380.
- [23] Freund, T. F., Katona, I., and Piomelli, D. (2003) Role of endogenous cannabinoids in synaptic signaling, *Physiol. Rev.*, 83, 1017-1066.
- [24] Chevaleyre, V., and Castillo, P. E. (2003) Heterosynaptic LTD of hippocampal GABAergic synapses, *Neuron*, 38, 461-472.
- [25] Ali, A. B., and Todorova, M. (2010) Asynchronous release of GABA via tonic cannabinoid receptor activation at identified interneuron synapses in rat CA1, *Eur. J. Neurosci.*, 31, 1196-1207.
- [26] Zhu, P. J., and Lovinger, D. M. (2007) Persistent synaptic activity produces long-lasting enhancement of endocannabinoid modulation and alters long-term synaptic plasticity, *J. Neurophysiol.*, 97, 4386-4389.
- [27] Heifets, B. D., Chevaleyre, V., and Castillo, P. E. (2008) Interneuron activity controls endocannabinoid-mediated presynaptic plasticity through calcineurin, *Proc. Natl. Acad. Sci. USA*, 105, 10250-10255.
- [28] Adermark, L., Talani, G., and Lovinger, D. M. (2009) Endocannabinoid-dependent plasticity at GABAergic and glutamatergic synapses in the striatum is regulated by synaptic activity, *Eur. J. Neurosci.*, 29, 32-41.
- [29] Bettler, B., Kaupmann, K., Mosbacher, J., and Gassmann, M. (2004) Molecular structure and physiological functions of GABA B receptors, *Physiol. Rev.*, 84, 835-867.
- [30] Patenaude, C., Chapman, C. A., Bertrand, S., Congar, P., and Lacaille, J.-C. (2003) GABA B receptor and metabotropic glutamate receptor-dependent cooperative long-term potentiation of rat hippocampal GABA A synaptic transmission, *J. Physiol.*, 553, 155-167.
- [31] Evstratova, A., Chamberland, S., and Topolnik, L. (2011) Cell-type-specific and activity-dependent dynamics of action-potential-evoked Ca signals in dendrites of hippocampal inhibitory interneurons, *J. Physiol.*, 8, 1957-1977.
- [32] Shew, T., Yip, S., and Sastry, B. R. (2000) Mechanisms involved in tetanus-induced potentiation of fast IPSCs in rat hippocampal CA1 neurons, *J. Neurophysiol.*, 83, 3388-3401.
- [33] Jappy, D., Valiullina, F., Draguhn, A., and Rozov, A. (2016) GABA(B)R-dependent long-term depression at hippocampal synapses between CB1-positive interneurons and CA1 pyramidal cells, *Front. Cell. Neurosci.*, 10, 4.
- [34] Nyiri, G., Freund, T. F., and Somogyi, P. (2001) Input-dependent synaptic targeting of $\alpha 2$ -subunit-containing GABAA receptors in synapses of hippocampal pyramidal cells of the rat, *Eur. J. Neurosci.*, 13, 428-442.
- [35] McDonald, B. J., Amato, A., Connolly, C. N., Benke, D., Moss, S. J., and Smart, T. G. (1998) Adjacent phosphorylation sites on GABAA receptor beta-subunits determine regulation by cAMP-dependent protein kinase, *Nat. Neurosci.*, 1, 23-28.

- [36] Vithlani, M., Terunuma, M., and Moss, S. J. (2011) Receptor trafficking and its role in regulating the plasticity of inhibitory synapses, *Physiol. Rev.*, 91, 1009-1022.
- [37] Xu, J.-Y., and Sastry, B. R. (2005) Benzodiazepine involvement in LTP of the GABA-ergic IPSC in rat hippocampal CA1 neurons, *Brain Res.*, 1062, 134-143.
- [38] McNally, G., and Akil, H. (2002) Opioid peptides and their receptors: overview and function in pain modulation, in *Neuropsychopharmacology: The Fifth Generation of Progress* (Davis, K. L., Charney, D., Coyle, J. T., and Nemeroff, C., eds.) Lippincott, Williams & Wilkins, Philadelphia, pp. 35-46.
- [39] Al-Hasani, R., and Bruchas, M. R. (2011) Molecular mechanisms of opioid receptor-dependent signaling and behavior, *Anesthesiology*, 115, 1363-1381.
- [40] Dacher, M., and Nugent, F. S. (2011) Opiates and plasticity, *Neuropharmacology*, 61, 1088-1096.
- [41] Xie, C. W., and Lewis, D. V. (1995) Endogenous opioids regulate long-term potentiation of synaptic inhibition in the dentate gyrus of rat hippocampus, *J. Neurosci.*, 15, 3788-3795.
- [42] Piskorowski, R. A., and Chevaleyre, V. (2013) Delta-opioid receptors mediate unique plasticity onto parvalbuminexpressing interneurons in area CA2 of the hippocampus, *J. Neurosci.*, 33, 14567-14578.