

An addition to the cases of solvability of the Goursat problem in quadratures

Zhegalov V., Sozontova E.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2017, Pleiades Publishing, Ltd. Six new versions of solvability conditions for the Goursat problem in quadratures are formulated in terms of the coefficients of a linear inhomogeneous hyperbolic equation.

<http://dx.doi.org/10.1134/S0012266117020124>

References

- [1] Bitsadze, A.V., *Uravneniya matematicheskoi fiziki (Equations of Mathematical Physics)*, Moscow: Nauka, 1982.
- [2] Bitsadze, A.V., *Nekotorye klassy uravnenii v chastnykh proizvodnykh (Some Classes of Partial Differential Equations)*, Moscow: Nauka, 1981.
- [3] Zhegalov, V.I. and Mironov, A.N., *Differentsial'nye uravneniya so starshimi chastnymi proizvodnymi (Differential Equations with Higher Partial Derivatives)*, Kazan, 2001.
- [4] Zhegalov, V.I., Solvability conditions for hyperbolic equations via special functions, in *Neklassicheskie uravneniya matematicheskoi fiziki (Nonclassical Equations of Mathematical Physics)*, Novosibirsk, 2002, pp. 73-79.
- [5] Zhegalov, V.I. and Sarvarova, I.M., Solvability of the Goursat problem in quadratures, *Russian Math. (Izv. VUZ)*, 2013, vol. 57, no. 3, pp. 56-59.
- [6] Tricomi, F., *Lezioni sulle equazioni a derivate parziali*, Turin, 1954.