

Soil microbial communities are shaped by vegetation type and park age in cities under cold climate

Hui N., Jumpponen A., Francini G., Kotze D., Liu X., Romantschuk M., Strömmer R., Setälä H.
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2017 Society for Applied Microbiology and John Wiley & Sons Ltd Soil microbes play a key role in controlling ecosystem functions and providing ecosystem services. Yet, microbial communities in urban green space soils remain poorly characterized. Here we compared soil microbial communities in 41 urban parks of (i) divergent plant functional types (evergreen trees, deciduous trees and lawn) and (ii) different ages (constructed 10, ~50 and > 100 years ago). These microbial communities were also compared to those in 5 control forests in southern Finland. Our results indicate that, despite frequent disturbances in urban parks, urban soil microbes still followed the classic patterns typical of plant-microbe associations in natural environments: both bacterial and fungal communities in urban parks responded to plant functional groups, but fungi were under tighter control of plants than bacteria. We show that park age shaped the composition of microbial communities, possibly because vegetation in old parks have had a longer time to modify soil properties and microbial communities than in young parks. Furthermore, control forests harboured distinct but less diverse soil microbial communities than urban parks that are under continuous anthropogenic disturbance. Our results highlight the importance of maintaining a diverse portfolio of urban green spaces and plant communities therein to facilitate complex microbial communities and functions in urban systems.

<http://dx.doi.org/10.1111/1462-2920.13660>

References

- [1] Abarenkov, K., Henrik Nilsson, R., Larsson, K.H., Alexander, I.J., Eberhardt, U., Erland, S., et al. (2010) The UNITE database for molecular identification of fungi—recent updates and future perspectives. *New Phytol* 186: 281–285.
- [2] Augusto, L., Ranger, J., Binkley, D., and Rothe, A. (2002) Impact of several common tree species of European temperate forests on soil fertility. *Ann For Sci* 59: 233–253.
- [3] Banning, N.C., Gleeson, D.B., Grigg, A.H., Grant, C.D., Andersen, G.L., Brodie, E.L., and Murphy, D. (2011) Soil microbial community successional patterns during forest ecosystem restoration. *Appl Environ Microbiol* 77: 6158–6164.
- [4] Bardgett, R.D., and McAlister, E. (1999) The measurement of soil fungal: Bacterial biomass ratios as an indicator of ecosystem self-regulation in temperate meadow grasslands. *Biol Fertil Soils* 29: 282–290.
- [5] Bardgett, R.D., and Wardle, D.A. (2010) *Aboveground-Belowground Linkages: Biotic Interactions, Ecosystem Processes, and Global Change*. New York, USA: Oxford University Press.
- [6] Barrios, E. (2007) Soil biota, ecosystem services and land productivity. *Ecol Econ* 64: 269–285.
- [7] Baxter, J.W., Pickett, S.T., Carreiro, M.M., and Dighton, J. (1999) Ectomycorrhizal diversity and community structure in oak forest stands exposed to contrasting anthropogenic impacts. *Can J Bot* 77: 771–782.

- [8] Blackburne, R., Vadivelu, V.M., Yuan, Z., and Keller, J. (2007) Kinetic characterisation of an enriched *Nitrospira* culture with comparison to *Nitrobacter*. *Water Res* 41: 3033-3042.
- [9] Blaško, R., Bach, L.H., Yarwood, S.A., Trumbore, S.E., Högberg, P., and Högberg, M.N. (2015) Shifts in soil microbial community structure, nitrogen cycling and the concomitant declining N availability in ageing primary boreal forest ecosystems. *Soil Biol Biochem* 91: 200-211.
- [10] Brown, S.P., Veach, A.M., Rigdon-Huss, A.R., Grond, K., Lickteig, S.K., Lothamer, K., et al. (2015) Scraping the bottom of the barrel: Are rare high throughput sequences artifacts?. *Fungal Ecol* 13: 221-225.
- [11] Cadenasso, M.L., Pickett, S.T., and Schwarz, K. (2007) Spatial heterogeneity in urban ecosystems: Reconceptualizing land cover and a framework for classification. *Front Ecol Environ* 5: 80-88.
- [12] Chodak, M., Klimek, B., Azarbad, H., and Jaźwa, M. (2015) Functional diversity of soil microbial communities under Scots pine, Norway spruce, silver birch and mixed boreal forests. *Pedobiologia* 58: 81-88.
- [13] Connell, J.H. (1978) Diversity in tropical rain forests and coral reefs. *Science* 199: 1302-1310.
- [14] Cusack, D.F., Silver, W.L., Torn, M.S., Burton, S.D., and Firestone, M.K. (2011) Changes in microbial community characteristics and soil organic matter with nitrogen additions in two tropical forests. *Ecology* 92: 621-632.
- [15] Davis, K.E., Sangwan, P., and Janssen, P.H. (2011) Acidobacteria, Rubrobacteridae and Chloroflexi are abundant among very slow-growing and mini-colony-forming soil bacteria. *Environ Microbiol* 13: 798-805.
- [16] De Deyn, G.B., Cornelissen, J.H., and Bardgett, R.D. (2008) Plant functional traits and soil carbon sequestration in contrasting biomes. *Ecol Lett* 11: 516-531.
- [17] Edgar, R.C., Haas, B.J., Clemente, J.C., Quince, C., and Knight, R. (2011) UCHIME improves sensitivity and speed of chimera detection. *Bioinformatics* 27: 2194-2200.
- [18] Escobedo, F.J., Kroeger, T., and Wagner, J.E. (2011) Urban forests and pollution mitigation: Analyzing ecosystem services and disservices. *Environ Pollut* 159: 2078-2087.
- [19] Grimm, N.B., Faeth, S.H., Golubiewski, N.E., Redman, C.L., Wu, J., Bai, X., and Briggs, J.M. (2008) Global change and the ecology of cities. *Science* 319: 756-760.
- [20] Hannam, K.D., Quideau, S.A., and Kishchuk, B.E. (2006) Forest floor microbial communities in relation to stand composition and timber harvesting in northern Alberta. *Soil Biol Biochem* 38: 2565-2575.
- [21] Hanski, I., von Hertzen, L., Fyhrquist, N., Koskinen, K., Torppa, K., Laatikainen, T., et al. (2012) Environmental biodiversity, human microbiota, and allergy are interrelated. *Proc Natl Acad Sci USA* 109: 8334-8339.
- [22] Hartmann, A., Schmid, M., Van Tuinen, D., and Berg, G. (2009) Plant-driven selection of microbes. *Plant Soil* 321: 235-257.
- [23] Heinemeyer, A., Ridgway, K.P., Edwards, E.J., Benham, D.G., Young, J.P.W., and Fitter, A.H. (2004) Impact of soil warming and shading on colonization and community structure of arbuscular mycorrhizal fungi in roots of a native grassland community. *Glob Chang Biol* 10: 52-64.
- [24] Hui, N., Jumpponen, A., Niskanen, T., Liimatainen, K., Jones, K.L., Koivula, T., et al. (2011) EcM fungal community structure, but not diversity, altered in a Pb-contaminated shooting range in a boreal coniferous forest site in Southern Finland. *FEMS Microbiol Ecol* 76: 121-132.
- [25] Huse, S.M., Welch, D.M., Morrison, H.G., and Sogin, M.L. (2010) Ironing out the wrinkles in the rare biosphere through improved OTU clustering. *Environ Microbiol* 12: 1889-1898.
- [26] Iovieno, P., Alfani, A., and Bååth, E. (2010) Soil microbial community structure and biomass as affected by *Pinus pinea* plantation in two Mediterranean areas. *Appl Soil Ecol* 45: 56-63.
- [27] Joimel, S., Cortet, J., Jolivet, C.C., Saby, N.P.A., Chenot, E.D., Branchu, P., et al. (2016) Physico-chemical characteristics of topsoil for contrasted forest, agricultural, urban and industrial land uses in France. *Sci Total Environ* 545-546: 40-47.
- [28] Jumpponen, A., and Egerton-Warburton, L.M. (2005) Mycorrhizal fungi in successional environments: A community assembly model incorporating host plant, environmental, and biotic filters. In *The Fungal Community*. Dighton, J., White, J.F., and Oudemans, P. (eds). New York: CRC Press, pp. 139-180.
- [29] Jumpponen, A., and Jones, K. (2010) Seasonally dynamic fungal communities in the *Quercus macrocarpa* phyllosphere differ between urban and nonurban environments. *New Phytol* 186: 496-513.
- [30] Jumpponen, A., Jones, K.L., David Mattox, J., and Yaeger, C. (2010) Massively parallel 454-sequencing of fungal communities in *Quercus* spp. ectomycorrhizas indicates seasonal dynamics in urban and rural sites. *Mol Ecol* 19: 41-53.
- [31] Kabisch, N. (2015) Ecosystem service implementation and governance challenges in urban green space planning—The case of Berlin, Germany. *Land Use Policy* 42: 557-567.
- [32] Kardol, P., Martijn Bezemer, T., and van der Putten, W.H. (2006) Temporal variation in plant-soil feedback controls succession. *Ecol Lett* 9: 1080-1088.
- [33] Koskinen, K., Hultman, J., Paulin, L., Auvinen, P., and Kankaanpää, H. (2011) Spatially differing bacterial communities in water columns of the northern Baltic Sea. *FEMS Microbiol Ecol* 75: 99-110.
- [34] Kuiters, A.T., and Denneman, C.A.J. (1987) Water-soluble phenolic substances in soils under several coniferous and deciduous tree species. *Soil Biol Biochem* 19: 765-769.

- [35] Lückner, S., Wagner, M., Maixner, F., Pelletier, E., Koch, H., Vacherie, B., et al. (2010) A *Nitrospira* metagenome illuminates the physiology and evolution of globally important nitrite-oxidizing bacteria. *Proc Natl Acad Sci USA* 107: 13479-13484.
- [36] La Sorte, F.A., McKinney, M.L., Pyšek, P., Klotz, S., Rapson, G., Celesti-Grapo, L., and Thompson, K. (2008) Distance decay of similarity among European urban floras: The impact of anthropogenic activities on β diversity. *Global Ecol Biogeogr* 17: 363-371.
- [37] Lauber, C.L., Strickland, M.S., Bradford, M.A., and Fierer, N. (2008) The influence of soil properties on the structure of bacterial and fungal communities across land-use types. *Soil Biol Biochem* 40: 2407-2415.
- [38] Li, Y.T., Rouland, C., Benedetti, M., Li, F., Pando, A., Lavelle, P., and Dai, J. (2009) Microbial biomass, enzyme and mineralization activity in relation to soil organic C, N and P turnover influenced by acid metal stress. *Soil Biol Biochem* 41: 969-977.
- [39] Lindahl, B.D., Ihrmark, K., Boberg, J., Trumbore, S.E., Höglberg, P., Stenlid, J., and Finlay, R.D. (2007) Spatial separation of litter decomposition and mycorrhizal nitrogen uptake in a boreal forest. *New Phytol* 173: 611-620.
- [40] Liu, X., Hui, C., Bi, L., Romantschuk, M., Kontro, M., Strömmer, R., and Hui, N. (2016) Bacterial community structure in atrazine treated reforested farmland in Wuying China. *Appl Soil Ecol* 98: 39-46.
- [41] Moore, J.C., and William Hunt, H. (1988) Resource compartmentation and the stability of real ecosystems. *Nature* 333: 261-263.
- [42] Nguyen, N.H., Song, Z., Bates, S.T., Branco, S., Tedersoo, L., Menke, J., et al. (2016) FUNGuild: an open annotation tool for parsing fungal community datasets by ecological guild. *Fungal Ecol* 20: 241-248.
- [43] Nidzgorski, D.A., and Hobbie, S.E. (2016) Urban trees reduce nutrient leaching to groundwater. *Ecol Appl* 26: 1566-1580.
- [44] Oliver, A.K., Brown, S.P., Callahan, M.A., and Jumpponen, A. (2015) Polymerase matters: non-proofreading enzymes inflate fungal community richness estimates by up to 15%. *Fungal Ecol* 15: 86-89.
- [45] Park, S.J., Cheng, Z., Yang, H., Morris, E.E., Sutherland, M., Gardener, B.B.M., and Grewal, P.S. (2010) Differences in soil chemical properties with distance to roads and age of development in urban areas. *Urban Ecosyst* 13: 483-497.
- [46] Pickett, S.T., Cadenasso, M.L., Grove, J.M., Boone, C.G., Groffman, P.M., Irwin, E., et al. (2011) Urban ecological systems: Scientific foundations and a decade of progress. *J Environ Manage* 92: 331-362.
- [47] Pigott, C. (1982) Fine structure of mycorrhiza formed by *Cenococcum geophilum* Fr. on *Tilia cordata* Mill. *New Phytol* 92: 501-512.
- [48] Ponge, J.F. (2003) Humus forms in terrestrial ecosystems: A framework to biodiversity. *Soil Biol Biochem* 35: 935-945.
- [49] Pouyat, R.V., Yesilonis, I., Russell-Anelli, J., and Neerchal, N. (2007) Soil chemical and physical properties that differentiate urban land-use and cover types. *Soil Sci Soc Am J* 71: 1010-1019.
- [50] Pouyat, R.V., Szlavecz, K., Yesilonis, I.D., Groffman, P.M., and Schwarz, K. (2010) Chemical, physical, and biological characteristics of urban soils. Chapter 7. In *Urban ecosystem ecology*. Aitkenhead-Peterson, J., Volder, A. (eds). *Agronomy Monograph* 55. American Society of Agronomy, Crop Science Society of America, Soil Science Society of America, Madison, pp. 119-152.
- [51] Prescott, C.E., and Grayston, S.J. (2013) Tree species influence on microbial communities in litter and soil: current knowledge and research needs. *For Ecol Manage* 309: 19-27.
- [52] Ramirez, K.S., Leff, J.W., Barberán, A., Bates, S.T., Betley, J., Crowther, T.W., et al. (2014) Biogeographic patterns in below-ground diversity in New York City's Central Park are similar to those observed globally. *Proc R Soc B* 281: 20141988.
- [53] Rasse, D.P., Rumpel, C., and Dignac, M.F. (2005) Is soil carbon mostly root carbon? Mechanisms for a specific stabilisation. *Plant Soil* 269: 341-356.
- [54] Ryan, E., and Alexander, I. (1992) Mycorrhizal aspects of improved growth of spruce when grown in mixed stands on heathlands. In *Mycorrhizas in ecosystems*. Read, D.J., Lewis, D.H., Fitter, A.H., Alexander, I.J. (eds). Wallingford, UK: CAB International, pp. 237-245.
- [55] Sánchez, C. (2009) Lignocellulosic residues: Biodegradation and bioconversion by fungi. *Biotechnol Adv* 27: 185-194.
- [56] Scattolin, L., Montecchio, L., Mosca, E., and Agerer, R. (2008) Vertical distribution of the ectomycorrhizal community in the top soil of Norway spruce stands. *Eur J For Res* 127: 347-357.
- [57] Scheibe, A., Steffens, C., Seven, J., Jacob, A., Hertel, D., Leuschner, C., and Gleixner, G. (2015) Effects of tree identity dominate over tree diversity on the soil microbial community structure. *Soil Biol Biochem* 81: 219-227.
- [58] Schimel, J., Balsler, T.C., and Wallenstein, M. (2007) Microbial stress-response physiology and its implications for ecosystem function. *Ecology* 88: 1386-1394.

- [59] Schloss, P.D., Westcott, S.L., Ryabin, T., Hall, J.R., Hartmann, M., Hollister, E.B., et al. (2009) Introducing mothur: Open-source, platform-independent, community-supported software for describing and comparing microbial communities. *Appl Environ Microbiol* 75: 7537-7541.
- [60] Setälä, H.M., Francini, G., Allen, J.A., Hui, N., Jumpponen, A., and Kotze, D.J. (2016) Vegetation type and age drive changes in soil properties, nitrogen and carbon sequestration in urban parks under cold climate. *Front Ecol Evol* 4: 93.
- [61] Shade, A., Peter, H., Allison, S.D., Baho, D.L., Berga, M., Bürgmann, H., et al. (2012) Fundamentals of microbial community resistance and resilience. *Front Microbiol* 3: 417.
- [62] Shakya, M., Gottel, N., Castro, H., Yang, Z.K., Gunter, L., Labbé, J., et al. (2013) A multifactor analysis of fungal and bacterial community structure in the root microbiome of mature *Populus deltoides* trees. *PLoS One* 8: e76382.
- [63] Siles, J.A., and Margesin, R. (2016) Abundance and diversity of bacterial, archaeal, and fungal communities along an altitudinal gradient in alpine forest soils: What are the driving factors? *Microbiol Ecol* 72: 207-220.
- [64] Six, J., Frey, S., Thiet, R., and Batten, K. (2006) Bacterial and fungal contributions to carbon sequestration in agroecosystems. *Soil Sci Soc Am J* 70: 555-569.
- [65] Stülten, C., Kong, F., and Hampp, R. (1995) Isolation and regeneration of protoplasts from the ectomycorrhizal ascomycete *Cenococcum geophilum* Fr. *Mycorrhiza* 5: 259-266.
- [66] Strohbach, M.W., and Haase, D. (2012) Above-ground carbon storage by urban trees in Leipzig, Germany: Analysis of patterns in a European city. *Landscape Urban Plann* 104: 95-104.
- [67] Sun, H., Santalahti, M., Pumpanen, J., Köster, K., Berninger, F., Raffaello, T., et al. (2015) Fungal community shifts in structure and function across a boreal forest fire chronosequence. *Appl Environ Microbiol* 81: 7869-7880.
- [68] Tedersoo, L., Nilsson, R.H., Abarenkov, K., Jairus, T., Sadam, A., Saar, I., et al. (2010) 454 Pyrosequencing and Sanger sequencing of tropical mycorrhizal fungi provide similar results but reveal substantial methodological biases. *New Phytol* 188: 291-301.
- [69] Toljander, J.F., Eberhardt, U., Toljander, Y.K., Paul, L.R., and Taylor, A.F. (2006) Species composition of an ectomycorrhizal fungal community along a local nutrient gradient in a boreal forest. *New Phytol* 170: 873-884.
- [70] Twieg, B.D., Durall, D.M., and Simard, S.W. (2007) Ectomycorrhizal fungal succession in mixed temperate forests. *New Phytol* 176: 437-447.
- [71] Urbanová, M., Šnajdr, J., and Baldrian, P. (2015) Composition of fungal and bacterial communities in forest litter and soil is largely determined by dominant trees. *Soil Biol Biochem* 84: 53-64.
- [72] Van Der Heijden, M.G., Bardgett, R.D., and Van Straalen, N.M. (2008) The unseen majority: soil microbes as drivers of plant diversity and productivity in terrestrial ecosystems. *Ecol Lett* 11: 296-310.
- [73] Vranova, V., Rejsek, K., Skene, K.R., Janous, D., and Formanek, P. (2013) Methods of collection of plant root exudates in relation to plant metabolism and purpose: A review. *J Plant Nutr Soil Sci* 176: 175-199.
- [74] Waldrop, M.P., and Firestone, M.K. (2003) Microbial community utilization of recalcitrant and simple carbon compounds: impact of oak-woodland plant communities. *Oecologia* 138: 275-284.
- [75] Wan, X., Huang, Z., He, Z., Yu, Z., Wang, M., Davis, M.R., and Yang, Y. (2014) Soil C:N ratio is the major determinant of soil microbial community structure in subtropical coniferous and broadleaf forest plantations. *Plant Soil* 387: 103-116.
- [76] Wang, Q., Garrity, G.M., Tiedje, J.M., and Cole, J.R. (2007) Naive Bayesian classifier for rapid assignment of rRNA sequences into the new bacterial taxonomy. *Appl Environ Microbiol* 73: 5261-5267.
- [77] Wardle, D.A. (2002) *Communities and Ecosystems: Linking the Aboveground and Belowground Components*. New Jersey, USA: Princeton University Press.
- [78] Wardle, D.A., Bardgett, R.D., Klironomos, J.N., Setälä, H., Van Der Putten, W.H., and Wall, D.H. (2004) Ecological linkages between aboveground and belowground biota. *Science* 304: 1629-1633.
- [79] Wu, Z., Haack, S.E., Lin, W., Li, B., Wu, L., Fang, C., and Zhang, Z. (2015) Soil microbial community structure and metabolic activity of *pinus elliottii* plantations across different stand ages in a subtropical area. *PLoS One* 10: e0135354.
- [80] Yang, L., Zhang, L., Li, Y., and Wu, S. (2015) Water-related ecosystem services provided by urban green space: A case study in Yixing City (China). *Landscape Urban Plan* 136: 40-51.
- [81] Zeng, Q., Dong, Y., and An, S. (2016) Bacterial Community Responses to Soils along a Latitudinal and Vegetation Gradient on the Loess Plateau, China. *PLoS One* 11: e0152894.
- [82] Zhang, H., Sekiguchi, Y., Hanada, S., Hugenholtz, P., Kim, H., Kamagata, Y., and Nakamura, K. (2003) *Gemmatimonas aurantiaca* gen. nov., sp. nov., a Gram-negative, aerobic, polyphosphate-accumulating microorganism, the first cultured representative of the new bacterial phylum Gemmatimonadetes phyl. nov. *Int J Syst Evol Microbiol* 53: 1155-1163.