



## Advances in lipid film based biosensors



Georgia-Paraskevi Nikoleli<sup>a</sup>, Dimitrios P. Nikolelis<sup>a</sup>, Gennady Evtugyn<sup>b,c</sup>, Tibor Hianik<sup>c,d,\*</sup>

<sup>a</sup> Laboratory of Environmental Chemistry, Department of Chemistry, University of Athens, Panepistimiopolis-Kouponia, 15771 Athens, Greece

<sup>b</sup> Analytical Chemistry Department of Kazan Federal University, 18 Kremlevskaya Street, Kazan, 420008, Russian Federation

<sup>c</sup> OpenLab "DNA-Sensors" of Kazan Federal University, 18 Kremlevskaya Street, Kazan, 420008, Russian Federation

<sup>d</sup> Faculty of Mathematics, Physics and Informatics, Comenius University, Mlynska dolina F1, 84248 Bratislava, Slovakia

### ARTICLE INFO

#### Keywords:

Supported lipid membranes  
Biosensor  
Health diagnosis  
Food analysis  
Environmental monitoring

### ABSTRACT

Since first report on formation stable free standing bilayer lipid membranes (BLM) in 1962 by Mueller et al. [1] these systems became very popular in modeling various membrane processes at molecular level, such as ionic transport, ligand-receptor interactions or lipid-protein interactions. Despite of advantage of BLM in respect of variation in lipid composition and their modifications by receptors and proteins, the work with these systems was rather difficult due to their limited stability. The situation has been considerably improved by introduction of supported bilayer lipid membranes (sBLM) in 1980 by Thompson et al. [2] for possible applications in biosensors. Recent advances in stabilization of supported lipid membranes, appearance of novel nanomaterials such as carbon nanotubes has increased the number of publications on this topic. This review summarizes latest achievements in the field of biosensors utilizing sBLMs.

© 2016 Elsevier B.V. All rights reserved.

### Contents

1. Introduction .....	210
2. Methods for preparation biosensors based on sBLMs .....	211
2.1. Free standing BLMs and supported BLMs .....	211
2.2. Metal supported sBLMs .....	212
2.3. sBLMs formed on a surface of glassy carbon, mica, metal oxide surfaces and on a ultrafiltration membranes .....	212
2.4. Bilayers stabilized by polymerization and formed on semiconductor and carbon nanotube surfaces .....	213
2.4.1. Polymer-supported bilayer lipid membranes .....	213
2.4.2. Lipid films supported on carbon nanotubes .....	213
2.5. sBLMs formed on nanomaterials .....	213
3. Biosensors based on supported lipid films and their analytical applications .....	214
3.1. Ion-selective sBLMs and water permeability channels .....	214
3.2. Enzyme biosensors .....	214
3.3. DNA biosensors .....	217
3.4. Antibody based biosensors .....	217
3.5. Affinity biosensors based on artificial and natural receptors .....	217
4. Conclusions .....	219
Acknowledgments .....	220
References .....	220

### 1. Introduction

The biomembrane is the basic cell structure that serves not only as the barrier that separate intracellular and extracellular environ-

ment, but contain macromolecules that provide various function important for living organisms, such as transport of ions and other compounds, receptor functions, immunity response and others. The lipid environment protects the biopolymers against degradation. This extremely thin (approx. 5 nm) lipid matrix with incorporated receptors is unique biosensor developed by nature. Since discovery of model bilayer lipid membranes (BLM) by Mueller et al. [1], there have been attempts to use them in biosensing applications. However,

\* Corresponding author. Tel.: +421 2 60295683; Fax: +421 2 65412305.  
E-mail address: [tibor.hianik@fmph.uniba.sk](mailto:tibor.hianik@fmph.uniba.sk) (T. Hianik).