

Locomotor function of scales and axial skeleton in middle-late triassic species of saurichthys (actinopterygii)

Kogan I., Tintori A., Licht M.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2020 Università degli Studi di Milano. All rights reserved. Starting in the Late Permian, the 'Triassic osteichthyan revolution' gave rise to several new morphotypes of actinopterygians, including the iconic barracuda-shaped predator Saurichthys. About 50 species, from 10 cm to over 1.5 m long, are known from mainly marine deposits worldwide. Despite current interest in Saurichthys, freshwater species and those from late Middle to early Late Triassic remain understudied. We document the postcranial morphology of three small to mid-sized (15-45 cm) species from this timeframe represented by sufficiently complete individuals: Saurichthys orientalis Sytchevskaya, 1999, from lacustrine deposits of the Madygen Formation (late Ladinian/ Carnian); S. striolatus (Bronn, 1858) from the fully marine Predil Limestone (early Carnian); and S. calcaratus Griffith, 1977, from the terrigenously influenced coastal environment of the Lunz Formation (middle Carnian). S. orientalis resembles early saurichthyids in having six rows of large, thick ganoid scales; fins with segmented lepidotrichia; and flank scales relating to dorsal vertebral elements as 1:2. S. calcaratus and S. striolatus share unsegmented fin rays and a reduced scale cover with well-ossified but narrow mid-dorsal and mid-ventral scales and small, thin flank scales, relating to the dorsal arcualia as 1:1. Ventral arcualia are first described for S. calcaratus and S. striolatus, where they change in shape and number at the abdominal-caudal transition. In all three species, force transmission to the tail fin is enhanced by the caudal peduncle strengthened by a stiff structure arising from interlocking or fusion of the last enlarged mid-dorsal and mid-ventral scales (scutes), while the vertebral column remains rather lightly built.

Keywords

Aquatic locomotion, Functional morphology, Pike-like predators, Saurichthyidae, Saurichthyiformes, Vertebral column

References

- [1] Agassiz L. (1834) - Abgerissene Bemerkungen über fossile Fische. Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefaktenkunde, 1834: 379-390.
- [2] Aldinger H. (1937) - Permische Ganoidfische aus Ostgrönland. Meddelelser om Grønland, 102: 1-392.

- [3] Argyriou T., Giles S., Friedman M., Romano C., Kogan I. & Sánchez-Villagra M. (2018) - Internal cranial anatomy of Early Triassic species of †Saurichthys (Actinopterygii: †Saurichthyiformes): implications for the phylogenetic placement of †saurichthyiforms. *BMC Evolutionary Biology*, 18(1): 161, doi: 10.1186/s12862-018-1264-4.
- [4] Beltan L. (1958) - Remarques concernant la variabilité du nombre des pariétaux chez le genre Saurichthys. *Comptes rendus des séances de l'Académie des Sciences*, 247: 1634-1636.
- [5] Beltan L. (1968) - La faune ichthyologique de l'Eotrias du N.W. de Madagascar: le neurocrâne. *Cahiers de Paléontologie*, Paris, 135 pp.
- [6] Beltan L. & Tintori A. (1981) - The genus Saurichthys (Pisces, Actinopterygii) during the Gondwana Period. In: Cresswell M.M. & Vella P. (Eds) - Gondwana five. Selected papers and abstracts of papers presented at the Fifth International Gondwana Symposium: 53-69. A.A. Balkema, Rotterdam.
- [7] Bronn H.G. (1858) - Beiträge zur triasischen Fauna und Flora der bituminösen Schiefer von Raibl. *Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefakten-Kunde*, 1858: 1-32.
- [8] Bürgin T. (1990) - Reproduction in Middle Triassic actinopterygians; complex fin structures and evidence of viviparity in fossil fishes. *Zoological Journal of the Linnean Society*, 100: 379-391.
- [9] Cope E.D. (1887) - Geology and palaeontology. *Zittel's Manual of Palaeontology*. *American Naturalist*, 22(11): 1014-1019.
- [10] Dalla Vecchia F.M. (2008) - Vertebrati fossili del Friuli. 450 milioni di anni di evoluzione. *Pubblicazioni del Museo Friulano di Storia Naturale*, 50: 1-303.
- [11] Dobruskina I.A. (1995) - Keuper (Triassic) Flora from Middle Asia (Madygen, Southern Fergana). *New Mexico Museum of Natural History and Science Bulletin*, 5: 1-49.
- [12] Doguzhaeva L.A., Summersberger H., Mutvei H. & Brandstaetter F. (2007) - The mantle, ink sac, ink, arm hooks and soft body debris associated with the shells in Late Triassic coleoid cephalopod Phragmoteuthis from the Austrian Alps. *Palaeoworld*, 16(4): 272-284.
- [13] Domenici P. & Blake R.W. (1997) - The kinematics and performance of fish fast-start swimming. *Journal of Experimental Biology*, 200: 1165-1178.
- [14] Fedorenko O.A. & Miletenko N.V. (Eds) (2002) - Atlas of the Lithology-Paleogeographical, Structural, Palinspatic and Geoenvironmental Maps of Central Asia. Scientific Research Institute of Natural Resources YUGGEO, Almaty.
- [15] Fischer J., Voigt S., Schneider J.W., Buchwitz M. & Voigt S. (2011) - A selachian freshwater fauna from the Triassic of Kyrgyzstan and its implication for Mesozoic shark nurseries. *Journal of Vertebrate Paleontology*, 31: 937-953.
- [16] Gardiner B.G. (1960) - A revision of certain actinopterygian and coelacanth fishes, chiefly from the Lower Lias. *Bulletin of the British Museum (Natural History), Geology*, 4(7): 239-384.
- [17] Griffith J. (1959) - On the anatomy of two saurichthyid fishes, Saurichthys striolatus (Bronn) and S. curioni (Bellotti). *Proceedings of the Zoological Society of London*, 132: 587-606.
- [18] Griffith J. (1977) - The Upper Triassic fishes from Polzberg bei Lunz, Austria. *Zoological Journal of the Linnean Society*, 60: 1-93.
- [19] Gozzi E. (2006) - Analisi tassonomica e morfo-funzionale di Saurichthys e Birgeria (Osteichthyes, Actinopterygii). Unpublished PhD Thesis, Università degli Studi di Milano.
- [20] Hitij T., Gašparič R., Žalohar J., Jurkovšek B. & Kolar-Jurkovšek T. (2019) - Paleontološko Bogastvo - Kozje Dnine. *Acta Triglaviensia*, 7: 5-42.
- [21] Kner R. (1866) - Die Fische der bituminösen Schiefer von Raibl in Kärnten. *Sitzungsberichte der kaiserlichen Akademie der Wissenschaften, mathematisch-naturwissenschaftliche Classe*, 53: 152-197.
- [22] Kogan I. (2011) - Remains of Saurichthys (Pisces, Actinopterygii) from the Early Triassic Wordie Creek Formation of East Greenland. *Bulletin of the Geological Society of Denmark*, 59: 93-100.
- [23] Kogan I. (2018) - The non-marine record of the Triassic predatory fish Saurichthys (Actinopterygii, Saurichthyidae). 13th Symposium on Mesozoic Terrestrial Ecosystems and Biota (MTE13), July 21-23, Bonn, Germany. *Terra Nostra*, 2018(1): 58-60.
- [24] Kogan I. & Romano C. (2016a) - Redescription of Saurichthys madagascariensis Piveteau, 1945 (Actinopterygii, Early Triassic), with implications for the early saurichthyid morphotype. *Journal of Vertebrate Paleontology*, 36(4): e1151886.
- [25] Kogan I. & Romano C. (2016b) - A new postcranium of Saurichthys from the Early Triassic of Spitsbergen. *Paläontologie, Stratigraphie, Fazies* (23), *Freiberger Forschungshefte*, C 550: 205-221.
- [26] Kogan I., Pacholak S., Licht M., Schneider J.W., Brücker C. & Brandt S. (2015) - The invisible fish: hydrodynamic constraints for predator-prey interaction in fossil fish Saurichthys compared to recent actinopterygians. *Biology Open*, 4: 1715-1726
- [27] Kogan I., Schönberger K., Fischer J. & Voigt S. (2009) - A nearly complete skeleton of Saurichthys orientalis (Pisces, Actinopterygii) from the Madygen Formation (Middle to Late Triassic, Kyrgyzstan, Central Asia) - preliminary results. *Paläontologie, Stratigraphie, Fazies* (17), *Freiberger Forschungshefte*, C 532: 139-152.

- [28] Lauder G. V. (2006). - Locomotion. In: Evans D.H. & Claiborne J.B. (Eds) - *The Physiology of Fishes*: 3-46. CRC Press, Boca Raton.
- [29] Lauder G.V. (2015) - Flexible fins and fin rays as key transformations in ray-finned fishes. In: Dial K.P., Shubin N. & Brainerd E. (Eds) - *Great Transformations in Vertebrate Evolution*: 31-45. Univ. of California Press, Berkeley, California.
- [30] Lehman J.-P. (1952) - Etude complémentaire des Poissons de l'Eotrias de Madagascar. *Kungliga Svenska Vetenskapsakademiens Handlingar*, Ser. 4, 2(6): 1-201.
- [31] Lehman J.-P., Château C., Laurain M. & Nauche M. (1959) - Paléontologie de Madagascar. XXVII. - Les poissons de la Sakamena Moyenne. *Annales de Paléontologie*, 45: 177-219.
- [32] Lombardo C. (1999) - Sexual dimorphism in a new species of the Actinopterygian *Peltopleurus* from the Triassic of Northern Italy. *Palaeontology*, 42: 741-760.
- [33] Lombardo C. & Tintori A. (2005) - Feeding specializations in Late Triassic fishes. *Annali dell'Università degli Studi di Ferrara. Museologia Scientifica e Naturalistica*, volume speciale, 2005: 25-32.
- [34] Long J.H. Jr. & Nipper K.S. (1996) - The importance of body stiffness in undulatory propulsion. *American Zoologist*, 36: 678-694.
- [35] Maxwell E.E. & Wilson L.A.B. (2013) - Regionalization of the axial skeleton in the 'ambush predator' guild: are there developmental rules underlying body shape evolution in ray-finned fishes? *BMC Evolutionary Biology*, 13: 265.
- [36] Maxwell E.E., Argyriou T., Stockar R. & Furrer H. (2018) - Re-evaluation of the ontogeny and reproductive biology of the Triassic fish *Saurichthys* (Actinopterygii, Saurichthyidae). *Palaeontology*, 61(4): 559-574.
- [37] Maxwell E.E., Diependaal H., Winkelhorst H., Goris G. & Klein N. (2016) - A new species of *Saurichthys* (Actinopterygii: Saurichthyidae) from the Middle Triassic of Winterswijk, The Netherlands. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 280(2): 119-134.
- [38] Maxwell E.E., Furrer H. & Sánchez-Villagra M.R. (2013) - Exceptional fossil preservation demonstrates a new mode of axial skeleton elongation in early ray-finned fishes. *Nature Communications*, 4: 2570.
- [39] Maxwell E.E., Romano C., Wu F. & Furrer H. (2015) - Two new species of *Saurichthys* (Actinopterygii: Saurichthyidae) from the Middle Triassic of Monte San Giorgio, Switzerland, with implications for character evolution in the genus. *Zoological Journal of the Linnean Society*, 173: 887-912.
- [40] Minikh A.V. (1981) - *Saurichthys* from the Triassic of USSR [Zaurikhtisy iz triasa SSSR]. *Paleontologiceskij Zhurnal*, 1981(1): 105-113.
- [41] Mutter R.J., Cartanyà J. & Basaraba S.A.U. (2008) - New evidence of *Saurichthys* from the Lower Triassic with an evaluation of early saurichthyid diversity. In: Arratia G., Schultze H.-P. & Wilson M.V.H. (Eds) - *Mesozoic Fishes 4 - Homology and Phylogeny*: 103-127. Verlag Dr. Friedrich Pfeil, München.
- [42] Owen R. (1860) - *Palaeontology or A systematic summary of extinct animals and their geological relations*. A. and C. Black, Edinburgh, 420 pp.
- [43] Piveteau J. (1944-1945) - Paléontologie de Madagascar. XXV - Les Poissons du Trias inférieur. La famille des Saurichthyidés. *Annales de Paléontologie*, 31: 79-89.
- [44] Pott C., Krings M. & Kerp H. (2008) - The Carnian (Late Triassic) flora from Lunz in Lower Austria: Paleocological considerations. *Palaeoworld*, 17(3-4): 172-182.
- [45] Reis O.M. (1892) - Zur Osteologie und Systematik der Belonorhynchiden und Tetragonolepiden. *Geognostische Jahreshefte*, 4: 143-171.
- [46] Renesto S. & Stockar R. (2009) - Exceptional preservation of embryos in the actinopterygian *Saurichthys* from the Middle Triassic of Monte San Giorgio, Switzerland. *Swiss Journal of Geosciences*, 102(2): 323-330
- [47] Rieppel O. (1985) - Die Triasfauna der Tessiner Kalkalpen. XXV. Die Gattung *Saurichthys* (Pisces, Actinopterygii) aus der mittleren Trias des Monte San Giorgio, Kanton Tessin. *Schweizerische Paläontologische Abhandlungen*, 108: 1-103.
- [48] Rieppel O. (1992) - A new species of the genus *Saurichthys* (Pisces: Actinopterygii) from the Middle Triassic of Monte San Giorgio (Switzerland), with comments on the phylogenetic interrelationships of the genus. *Palaeontographica Abt. A*, 221: 63-94.
- [49] Romano C., Kogan I., Jenks J., Jerjen I. & Brinkmann W. (2012) - *Saurichthys* and other fossil fishes from the late Smithian (Early Triassic) of Bear Lake County (Idaho, USA), with a discussion of saurichthyid palaeogeography and evolution. *Bulletin of Geosciences*, 87(3): 543-570.
- [50] Romano C., Koot M.B., Kogan I., Brayard A., Minikh A.V., Brinkmann W., Bucher H. & Kriwet J. (2016) - Permian-Triassic Osteichthyes (bony fishes): Diversity dynamics and body size evolution. *Biological Reviews*, 91: 106-147.
- [51] Schmid L. & Sánchez-Villagra M.R. (2010) - Potential genetic bases of morphological evolution in the triassic fish *Saurichthys*. *Journal of Experimental Zoology Part B: Molecular and Developmental Evolution*, 314B(7): 519-526.

- [52] Schneider J.W., Kogan I., Kriwet J. & Sell J. (2012): Finding localities of the Triassic "Lizard fish" *Saurichthys* in Germany. Centenary Meeting of the Paläontologische Gesellschaft, 24.-29.9.2012, Berlin, Germany. TERRA NOSTRA 2012/3: 155-156.
- [53] Shcherbakov D.E. (2008) - Madygen, Triassic Lagerstätte number one, before and after Sharov. *Alavesia*, 2: 113-124.
- [54] Stensiö E.A. (1925) - Triassic fishes from Spitzbergen. *Kungliga Svenska Vetenskapsakademiens Handlingar*, Ser. 3, 2(1): 1-261.
- [55] Sytchevskaya E.K. (1999) - Freshwater fish fauna from the Triassic of Northern Asia. In: Arratia G. & Schultze H.P. (Eds) - *Mesozoic Fishes 2 - Systematics and Fossil Record*: 445-468. Verlag Dr. Friedrich Pfeil, München.
- [56] Tintori A. (1990) - The vertebral column of the Triassic fish *Saurichthys* (Actinopterygii) and its stratigraphical significance. *Rivista Italiana di Paleontologia e Stratigrafia*, 96(1): 93-102.
- [57] Tintori A. (2013) - A new species of *Saurichthys* (Actinopterygii) from the Middle Triassic (early Ladinian) of the Northern Grigna mountain. *Rivista Italiana di Paleontologia e Stratigrafia*, 119: 287-302.
- [58] Tintori A. (2018) - Pesci Fossili dal Triassico dei monti Friulani / Fischfossilien der Trias in den Bergen Friauls. 79 pp, Museo Friulano di Storia Naturale, Udine.
- [59] Tintori A. (2019) - Predators and preys: a case history for *Saurichthys* (*Costasaurichthys*) *costasquamosus* Rieppel, 1985 from the Ladinian of Lombardy (Italy). *Rivista Italiana di Paleontologia e Stratigrafia*, 125(1): 271-282.
- [60] Tintori A. & Sassi D. (1992) - *Thoracopterus* Bronn (Osteichthyes: Actinopterygii): a gliding fish from the Upper Triassic of Europe. *Journal of Vertebrate Paleontology*, 12(3): 265-283.
- [61] Tintori A., Muscio G. & Nardon S. (1985) - The Triassic fossil fishes localities in Italy. *Rivista Italiana di Paleontologia e Stratigrafia*, 91(3): 197-210.
- [62] Tintori A., Hitij T., Jiang D., Lombardo C. & Sun Z. (2014a) - Triassic actinopterygian fishes: the recovery after the end-Permian crisis. *Integrative Zoology*, 9:394-411.
- [63] Tintori A., Huang J.-D., Jiang D.-Y., Sun Z.-Y., Motani R. & Chen G. (2014b) - A new *Saurichthys* (Actinopterygii) from the Spathian (Early Triassic) of Chaohu (Anhui Province, China). *Rivista Italiana di Paleontologia e Stratigrafia*, 120(2): 157-164.
- [64] Tintori A., Lombardo C., Danini G.L., Felber M., Marazzi B. & Vendico M. (1998) - Scavi paleontologici nella Kalkschieferzone di Meride (Canton Ticino, Svizzera): Risultati preliminari della campagna 1997. *Geologia Insubrica*, 3/1: 11-16.
- [65] Tintori A., Sun Z.-Y., Lombardo C., Jiang D.-Y., Ji C. & Motani R. (2012) - A new 'flying' fish from the Late Ladinian (Middle Triassic) of Wusha (Guizhou Province, southern China). *Gortania*, 33: 39-50.
- [66] Videler J.J. (1985) - Fish swimming movements: A study of one element of behavior. *Netherlands Journal of Zoology*, 35: 170-185.
- [67] Voigt S., Haubold H., Meng S., Krause D., Buchantschenko J., Ruckwied K. & Götz A.E. (2006) - Die Fossil-Lagerstätte Madygen: Ein Beitrag zur Geologie und Paläontologie der Madygen-Formation (Mittel- bis Ober-Trias, SW-Kirgisistan, Zentralasien). *Hallesches Jahrbuch für Geowissenschaften*, Beiheft 22: 85-119.
- [68] Voigt S., Buchwitz M., Fischer J., Kogan I., Moisan P., Schneider J.W., Spindler F., Brosig A., Preusse M., Scholze F. & Linnemann U. (2017) - Triassic life in an inland lake basin of the warm-temperate biome - the Madygen Lagerstätte (Southwest Kyrgyzstan, Central Asia). In: Fraser N.C. & Sues H.-D. (Eds) - *Terrestrial Conservation Lagerstätten: Windows Into the Evolution of Life on Land*: 65-104. Dunedin Academic Press, Edinburgh.
- [69] Webb P.W. (1984) - Form and function in fish swimming. *Scientific American*, 251: 72-82.
- [70] Webb P.W., Hardy D.H. & Mehl V.L. (1992) - The effect of armored skin on the swimming of longnose gar, *Lepisosteus osseus*. *Canadian Journal of Zoology*, 70: 1173-1179.
- [71] Weihs D. (1989) - Design features and mechanics of axial locomotion in fish. *American Zoologist*, 29: 151-160.
- [72] Weihs D. & Webb P.W. (1983) - Optimization of locomotion. In: Webb P.W. & Weihs D. (Eds) - *Fish biomechanics*: 339-371. Praeger, New York.
- [73] Werneburg R., Kogan I. & Sell J. (2014) - *Saurichthys* (Pisces: Actinopterygii) aus dem Buntsandstein des Germanischen Beckens. *Semana*, 29: 3-35.
- [74] Woodward A.S. (1888) - Note on the Early Mesozoic Ganoid, *Belonorhynchus*, and on the supposed Liassic genus *Amblyurus*. *Annals and Magazine of Natural History*, Ser. 6, 1(5): 354-356.
- [75] Woodward A.S. (1890) - The fossil fishes of the Hawkesbury Series at Gosford. *Memoirs of the Geological Survey of New South Wales, Palaeontology*, 4: 1-55.
- [76] Woodward A.S. (1895) - Catalogue of the fossil fishes in the British Museum (Natural History), Part III, London, 544 pp.
- [77] Wu F.-X., Sun Y.-L. & Fang G.-Y. (2018) - A new species of *Saurichthys* from the Middle Triassic (Anisian) of southwestern China. *Vertebrata Palasiatica*, 56(4): 273-294.

- [78] Wu F., Sun Y., Hao W., Jiang D., Xu G., Sun Z. & Tintori A. (2009) - New species of Saurichthys (Actinopterygii: Saurichthyidae) from Middle Triassic (Anisian) of Yunnan Province, China. *Acta Geologica Sinica - English Edition*, 83(3): 440-450.
- [79] Wu F.-X., Sun Y.-L., Hao W.-C., Jiang D.-Y. & Sun Z.-Y. (2015) - A new species of Saurichthys (Actinopterygii; Saurichthyiformes) from the Middle Triassic of southwestern China, with remarks on pattern of the axial skeleton of saurichthyid fishes. *Neues Jahrbuch für Geologie und Paläontologie: Abhandlungen*, 275: 249-267.
- [80] Wu F.X., Sun Y.L., Xu G.H, Hao W.C., Jiang D.Y. & Sun Z.Y. (2011) - New saurichthyid actinopterygian fishes from the Anisian (Middle Triassic) of southwestern China. *Acta Palaeontologica Polonica*, 56: 581-614.
- [81] Zittel K.A. (1887-1890) - *Handbuch der Palaeontologie. I. Abteilung. Palaeozoologie. R. Oldenbourg, München und Leipzig, III. Vertebrata*, 900 pp.