

**Correction: Imbalanced post- and extrasynaptic SHANK2A functions during development affect social behavior in SHANK2-mediated neuropsychiatric disorders (Molecular Psychiatry, (2021), 26, 11, (6482-6504), 10.1038/s41380-021-01140-y)**

Eltokhi A., Gonzalez-Lozano M.A., Oettl L.L., Rozov A., Pitzer C., Röth R., Berkel S., Hüser M., Harten A., Kelsch W., Smit A.B., Rappold G.A., Sprengel R.  
*Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia*

---

**Abstract**

The original version of this article unfortunately contained a mistake. Joint senior authors information was missing. The corrected information is given below. Joint senior authors of the article <https://doi.org/10.1038/s41380-021-01140-y> are: Gudrun A. Rappold and Rolf Sprengel. Funding should read: Open Access funding enabled and organized by Projekt DEAL. AE was supported by the Heidelberg Biosciences International Graduate School (HBIGS). RS received support from the Ingeborg Ständer Foundation and AR from the RSBF (17-04-01528 A). RR, CP, SB, and GR are supported by the Medical Faculty of the Heidelberg University. WK was supported by a BMBF Grant (n. 01GQ1708). The original article has been corrected.

<http://dx.doi.org/10.1038/s41380-021-01218-7>

---