

Genome sequences of *Acholeplasma laidlawii* strains differing in sensitivity to ciprofloxacin

Medvedeva E., Siniagina M., Malanin S., Boulygina E., Malygina T., Baranova N., Mouzykantov A., Davydova M., Chernova O., Chernova V.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2017 Medvedeva et al. *Acholeplasma laidlawii* is a well-suited model for study of the molecular basis of the adaptation of mollicutes to environmental conditions. Here we present the whole-genome sequences of four strains of *A. laidlawii* with differential sensitivity to ciprofloxacin.

<http://dx.doi.org/10.1128/genomeA.01189-17>

References

- [1] Blanchard A, Bébéar CM. 2002. Mycoplasmas of humans, p 45-71. In Razin S, Herrmann R (ed), *Molecular biology and pathogenicity of mycoplasmas*. Kluwer Academic Publishers, New York, NY.
- [2] Razin S, Hayflick L. 2010. Highlights of mycoplasma research-an historical perspective. *Biologicals* 38:183-190. <https://doi.org/10.1016/j.biologicals.2009.11.008>.
- [3] Uphoff CC, Drexler HG. 2014. Eradication of mycoplasma contaminations from cell cultures. *Curr Protoc Mol Biol* 106:28.5.1-28.5.12. <https://doi.org/10.1002/0471142727.mb2805s106>.
- [4] Waites KB, Lysnyansky I, Bebear CM. 2014. Emerging antimicrobial resistance in mycoplasmas of humans and animals, p 289-322. In Browning GF, Citti C (ed), *Mollicutes: molecular biology and pathogenesis*. Caister Academic Press, Poole, United Kingdom.
- [5] Tully JG. 1979. Special features of the acholeplasmas, p 431-449. In Barile MF, Razin S (ed), *The mycoplasmas*, vol 1. Academic Press, New York, NY.
- [6] Lazarev VN, Levitskii SA, Basovskii YI, Chukin MM, Akopian TA, Vereshchagin VV, Kostrjukova ES, Kovaleva GY, Kazanov MD, Malko DB, Vitreschak AG, Sernova NV, Gelfand MS, Demina IA, Serebryakova MV, Galyamina MA, Vtyurin NN, Rogov SI, Alexeev DG, Ladygina VG, Govorun VM. 2011. Complete genome and proteome of *Acholeplasma laidlawii*. *J Bacteriol* 193:4943-4953. <https://doi.org/10.1128/JB.05059-11>.
- [7] Chernov VM, Chernova OA, Medvedeva ES, Davydova MN. 2011. Adaptation of mycoplasmas to environmental conditions: features of the proteome shift in *Acholeplasma laidlawii* PG8 at persistent exposure to stressors. *Dokl Biochem Biophys* 438:134-137. <https://doi.org/10.1134/S1607672911030057>.
- [8] Chernov VM, Chernova OA, Medvedeva ES, Sorvina AI, Davydova MN, Rogova MA, Serebryakova MV. 2010. Responses of *Acholeplasma laidlawii* PG8 cells to cold shock and oxidative stress: proteomic analysis and stress-reactive mycoplasma proteins. *Dokl Biochem Biophys* 432: 126-130. <https://doi.org/10.1134/S1607672910030099>.
- [9] Sambrook J, Fritsch EF, Maniatis T. 1989. *Molecular cloning: a laboratory manual*, 2nd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY.
- [10] Langmead B, Salzberg SL. 2012. Fast gapped-read alignment with Bowtie 2. *Nat Methods* 9:357-359. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3322381/>.
- [11] Tatusova T, DiCuccio M, Badretdin A, Chetvernin V, Ciuffo S, Li W. 2013. Prokaryotic genome annotation pipeline. In *The NCBI handbook*, 2nd ed. National Center for Biotechnology Information, Bethesda, MD.

- [12] Li H, Handsaker B, Wysoker A, Fennell T, Ruan J, Homer N, Marth G, Abecasis G, Durbin R; 1000 Genome Project Data Processing Subgroup. 2009. The sequence alignment map format and SAMtools. *Bioinformatics* 25:2078-2079. <https://doi.org/10.1093/bioinformatics/btp352>.
- [13] Cingolani P, Platts A, Wang LL, Coon M, Nguyen T, Wang L, Land SJ, Lu X, Ruden DM. 2012. A program for annotating and predicting the effects of single nucleotide polymorphisms, SnpEff: SNPs in the genome of *Drosophila melanogaster* strain w1118; iso-2; iso-3. *Fly* 6:80 -92. <https://doi.org/10.4161/fly.19695>.
- [14] Minarini LA, Darini AL. 2012. Mutations in the quinolone resistance determining regions of *gyrA* and *parC* in *Enterobacteriaceae* isolates from Brazil. *Braz J Microbiol* 43:1309 -1314. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3769005/>.
- [15] Rafii F, Park M, Novak JS. 2005. Alterations in DNA gyrase and topoisomerase IV in resistant mutants of *Clostridium perfringens* found after in vitro treatment with fluoroquinolones. *Antimicrob Agents Chemother* 49:488-492. <https://doi.org/10.1128/AAC.49.2.488-492.2005>.