

# Hydration and self-aggregation of a neutral cosolute from dielectric relaxation spectroscopy and MD simulations: The case of 1,3-dimethylurea

Agieienko V., Horinek D., Buchner R.  
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

---

## Abstract

© the Owner Societies 2017. The influence of the amphiphile 1,3-dimethylurea (1,3-DMU) on the dynamic properties of water was studied using dielectric relaxation spectroscopy. The experiment provided evidence for substantial retardation of water reorientation in the hydration shell of 1,3-DMU, leading to a separate slow-water relaxation in addition to contributions from bulk-like and fast water as well as from the solute. From the amplitudes of the resolved water modes effective hydration numbers were calculated, showing that each 1,3-DMU molecule effectively freezes the reorientation of 1-2 water molecules. Additionally, a significant amount of solvent molecules, decreasing from ~39 at infinite dilution to ~3 close to the solubility limit, is retarded by a factor of ~1.4 to 2.3, depending on concentration. The marked increase of the solute amplitude indicates pronounced parallel dipole alignment between 1,3-DMU and its strongly bound H<sub>2</sub>O molecules. Molecular dynamics (MD) simulations of selected solutions revealed a notable slowdown of water rotation for those solvent molecules surrounding the methyl groups of 1,3-DMU and strong binding of ~2 H<sub>2</sub>O by the hydrophilic carbonyl group, corroborating thus the experimental results. Additionally, the simulations revealed 1,3-DMU self-aggregates of substantial lifetime.

<http://dx.doi.org/10.1039/c6cp07407c>

---

## References

- [1] E. Freire, A. Schön, B. M. Hutchins and R. K. Brown, *Drug Discovery Today*, 2013, 18, 1007-1013.
- [2] R. Kumaran and P. Ramamurthy, *J. Fluoresc.*, 2011, 21, 1499-1508.
- [3] D. R. Canchi and A. E. García, *Annu. Rev. Phys. Chem.*, 2013, 64, 273-293.
- [4] D. Horinek and R. R. Netz, *J. Phys. Chem. A*, 2011, 115, 6125-6136.
- [5] B. Moeser and D. Horinek, *J. Phys. Chem. B*, 2014, 118, 107-114.
- [6] W. Zheng, A. Borgia, K. Buholzer, A. Grishaev, B. Schuler and R. B. Best, *J. Am. Chem. Soc.*, 2016, 138, 11702-11713.
- [7] T. T. Herskovits, H. Jaillet and B. Gadegbeku, *J. Biol. Chem.*, 1970, 245, 4544-4550.
- [8] A. Shimizu, K. Fumino, K. Yukiyasu and Y. Taniguchi, *J. Mol. Liq.*, 2000, 85, 269-278.
- [9] K. Hamaguchi and H. Sakai, *J. Biochem.*, 1965, 57, 721-732.
- [10] J. Quijada, G. López, R. Versace, L. Ramírez and M. L. Tasayco, *Biophys. Chem.*, 2007, 129, 242-250.
- [11] V. M. Tischenko, *Biophysics*, 2011, 56, 602-605.
- [12] R. Zangi, R. Zhou and B. J. Berne, *J. Am. Chem. Soc.*, 2009, 131, 1535-1541.
- [13] D. R. Canchi, D. Paschek and A. E. García, *J. Am. Chem. Soc.*, 2010, 132, 2338-2344.

- [14] S. Funkner, M. Havenith and G. Schwaab, *J. Phys. Chem. B*, 2012, 116, 13374-13380.
- [15] K.-J. Tielrooij, J. Hunger, R. Buchner, M. Bonn and H. J. Bakker, *J. Am. Chem. Soc.*, 2010, 132, 15671-15678.
- [16] Y. L. A. Rezus and H. J. Bakker, *Phys. Rev. Lett.*, 2007, 99, 148301.
- [17] Y. L. A. Rezus and H. J. Bakker, *J. Phys. Chem. A*, 2008, 112, 2355-2361.
- [18] J. Hunger, K.-J. Tielrooij, R. Buchner, M. Bonn and H. J. Bakker, *J. Phys. Chem. B*, 2012, 116, 4783-4795.
- [19] N. Poklar, G. Vesnaver and S. Lapanje, *Biophys. Chem.*, 1993, 47, 143-151.
- [20] N. Poklar, G. Vesnaver and S. Lapanje, *J. Protein Chem.*, 1995, 14, 709-719.
- [21] N. Poklar, G. Vesnaver and S. Lapanje, *Biophys. Chem.*, 1996, 57, 279-289.
- [22] L. B. Sagle, Y. Zhang, V. A. Litosh, X. Chen, Y. Cho and P. S. Cremer, *J. Am. Chem. Soc.*, 2009, 131, 9304-9310.
- [23] F. Rodríguez-Ropero and N. F. A. van der Vegt, *J. Phys. Chem. B*, 2014, 118, 7327-7334.
- [24] S. Subramanian, T. S. Sarma, D. Balasubramanian and J. C. Ahluwalia, *J. Phys. Chem.*, 1971, 75, 815-820.
- [25] U. Kaatz, H. Gerke and R. Pottel, *J. Phys. Chem.*, 1986, 90, 5464-5469.
- [26] P. R. Philip, G. Perron and J. E. Desnoyers, *Can. J. Chem.*, 1974, 52, 1709-1713.
- [27] E. V. Ivanov and V. K. Abrosimov, *J. Chem. Eng. Data*, 2013, 58, 1103-1111.
- [28] R. Buchner and G. Hefter, *Phys. Chem. Chem. Phys.*, 2009, 11, 8984-8999.
- [29] V. Agieienko and R. Buchner, *Phys. Chem. Chem. Phys.*, 2016, 18, 2597-2607.
- [30] T. Shikata and S. Itatani, *J. Solution Chem.*, 2002, 31, 823-844.
- [31] A. Eiberweiser, A. Nazet, S. E. Kruchinin, M. V. Fedotova and R. Buchner, *J. Phys. Chem. B*, 2015, 119, 15203-15211.
- [32] A. Schönhals and F. Kremer, in *Broadband Dielectric Spectroscopy*, ed. F. Kremer and A. Schönhals, Springer Berlin Heidelberg, 2003, ch. 1, pp. 1-33.
- [33] T. Sonnleitner, D. A. Turton, S. Waselikowski, J. Hunger, A. Stoppa, M. Walther, K. Wynne and R. Buchner, *J. Mol. Liq.*, 2014, 192, 19-25.
- [34] J. Barthel, R. Buchner, P. N. Eberspächer, M. Münsterer, J. Stauber and B. Wurm, *J. Mol. Liq.*, 1998, 78, 83-109.
- [35] R. Buchner, T. Chen and G. Hefter, *J. Phys. Chem. B*, 2004, 108, 2365-2375.
- [36] A. Stoppa, A. Nazet, R. Buchner, A. Thoman and M. Walther, *J. Mol. Liq.*, 2015, 212, 963-968.
- [37] M. J. Frisch, G. W. Trucks, H. B. Schlegel, G. E. Scuseria, M. A. Robb, J. R. Cheeseman, J. A. Montgomery, Jr., T. Vreven, K. N. Kudin, J. C. Burant, J. M. Millam, S. S. Iyengar, J. Tomasi, V. Barone, B. Mennucci, M. Cossi, G. Scalmani, N. Rega, G. A. Petersson, H. Nakatsuji, M. Hada, M. Ehara, K. Toyota, R. Fukuda, J. Hasegawa, M. Ishida, T. Nakajima, Y. Honda, O. Kitao, H. Nakai, M. Klene, X. Li, J. E. Knox, H. P. Hratchian, J. B. Cross, C. Adamo, J. Jaramillo, R. Gomperts, R. E. Stratmann, O. Yazyev, A. J. Austin, R. Cammi, C. Pomelli, J. W. Ochterski, P. Y. Ayala, K. Morokuma, G. A. Voth, P. Salvador, J. J. Dannenberg, V. G. Zakrzewski, S. Dapprich, A. D. Daniels, M. C. Strain, O. Farkas, D. K. Malick, A. D. Rabuck, K. Raghavachari, J. B. Foresman, J. V. Ortiz, Q. Cui, A. G. Baboul, S. Clifford, J. Cioslowski, B. B. Stefanov, G. Liu, A. Liashenko, P. Piskorz, I. Komaromi, R. L. Martin, D. J. Fox, T. Keith, M. A. Al-Laham, C. Y. Peng, A. Nanayakkara, M. Challacombe, P. M. W. Gill, B. Johnson, W. Chen, M. W. Wong, C. Gonzalez and J. A. Pople, *Gaussian 03, Revision C.02*, Gaussian, Inc., Wallingford CT, 2004.
- [38] A. D. Becke, *J. Chem. Phys.*, 1993, 98, 5648-5652.
- [39] R. A. Kendall, T. H. Dunning and R. J. Harrison, *J. Chem. Phys.*, 1992, 96, 6796-6806.
- [40] J. B. Foresman, T. A. Keith, K. B. Wiberg, J. Snoonian and M. J. Frisch, *J. Phys. Chem.*, 1996, 100, 16098-16104.
- [41] U. C. Singh and P. A. Kollman, *J. Comput. Chem.*, 1984, 5, 129-145.
- [42] B. H. Besler, K. M. Merz and P. A. Kollman, *J. Comput. Chem.*, 1990, 11, 431-439.
- [43] C. Oostenbrink, A. Villa, A. E. Mark and W. F. Van Gunsteren, *J. Comput. Chem.*, 2004, 25, 1656-1676.
- [44] S. Weerasinghe and P. E. Smith, *J. Chem. Phys.*, 2003, 118, 5901-5910.
- [45] S. Weerasinghe and P. E. Smith, *J. Phys. Chem. B*, 2003, 107, 3891-3898.
- [46] K. J. Miller and J. Savchik, *J. Am. Chem. Soc.*, 1979, 101, 7206-7213.
- [47] J. Hinze and H. H. Jaffe, *J. Am. Chem. Soc.*, 1962, 84, 540-546.
- [48] M. G. Bravo-Sánchez, A. Estrada-Baltazar, G. A. Iglesias-Silva and M. Ramos-Estrada, *J. Chem. Eng. Data*, 2009, 55, 989-991.
- [49] R. Sartorio, P. Padulano, L. Costantino and V. Vitagliano, *J. Solution Chem.*, 1981, 10, 111-119.
- [50] L. Costantino, G. D'Errico, O. Ortona and V. Vitagliano, *J. Mol. Liq.*, 2000, 84, 179-191.
- [51] H. J. C. Berendsen, D. van der Spoel and R. van Drunen, *Comput. Phys. Commun.*, 1995, 91, 43-56.
- [52] G. Bussi, D. Donadio and M. Parrinello, *J. Chem. Phys.*, 2007, 126, 014101.
- [53] M. Parrinello and A. Rahman, *J. Appl. Phys.*, 1981, 52, 7182-7190.
- [54] S. Nosé and M. L. Klein, *Mol. Phys.*, 1983, 50, 1055-1076.

- [55] T. Darden, D. York and L. Pedersen, *J. Chem. Phys.*, 1993, 98, 10089-10092.
- [56] U. Essmann, L. Perera, M. L. Berkowitz, T. Darden, H. Lee and L. G. Pedersen, *J. Chem. Phys.*, 1995, 103, 8577-8593.
- [57] M. Brehm and B. Kirchner, *J. Chem. Inf. Model.*, 2011, 51, 2007-2023.
- [58] T. Fukasawa, T. Sato, J. Watanabe, Y. Hama, W. Kunz and R. Buchner, *Phys. Rev. Lett.*, 2005, 95, 197802.
- [59] A. Eiberweiser, A. Nazet, G. Hefter and R. Buchner, *J. Phys. Chem. B*, 2015, 119, 5270-5281.
- [60] D. Laage, G. Stirnemann, F. Sterpone, R. Rey and J. T. Hynes, *Annu. Rev. Phys. Chem.*, 2011, 62, 395-416.
- [61] R. Buchner, C. Holzl, J. Stauber and J. Barthel, *Phys. Chem. Chem. Phys.*, 2002, 4, 2169-2179.
- [62] H. M. A. Rahman, G. Hefter and R. Buchner, *J. Phys. Chem. B*, 2012, 116, 314-323.
- [63] R. Buchner, J. Barthel and J. Stauber, *Chem. Phys. Lett.*, 1999, 306, 57-63.
- [64] J. Barthel, H. Hetzenauer and R. Buchner, *Ber. Bunseng. Phys. Chem.*, 1992, 96, 1424-1432.
- [65] H. M. A. Rahman, G. Hefter and R. Buchner, *J. Phys. Chem. B*, 2013, 117, 2142-2152.
- [66] Note that the present CN numbers are calculated without taking into account possible solvation shell overlap and associated sharing of HO molecules.
- [67] J. G. Powles, *J. Chem. Phys.*, 1953, 21, 633-637.
- [68] S. H. Glarum, *J. Chem. Phys.*, 1960, 33, 639-643.
- [69] J. L. Dote and D. Kivelson, *J. Phys. Chem.*, 1983, 87, 3889-3893.
- [70] M. Obrzud, M. Rospenk and A. Koll, *J. Phys. Chem. B*, 2010, 114, 15905-15912.
- [71] P. K. Mehrotra and D. L. Beveridge, *J. Am. Chem. Soc.*, 1980, 102, 4287-4294.
- [72] B. Lin and B. M. Pettitt, *J. Chem. Phys.*, 2011, 134, 106101.
- [73] A. Burakowski and J. Gliński, *Chem. Phys. Lett.*, 2015, 641, 40-43.
- [74] J. Krakowiak, J. Wawer and A. Panuszko, *J. Chem. Thermodyn.*, 2013, 58, 211-220.
- [75] Costantino et al. assume viscosity to be independent of the solute concentration. Correction of their diffusion data with the present  $\eta$  values (Table S1, ESI†) yields an even higher NMR hydration number of  $22 \pm 1$ .
- [76] J. P. Hansen and I. R. McDonald, *Theory of Simple Liquids*, Elsevier Science, 2006.
- [77] D. Laage and J. T. Hynes, *Science*, 2006, 311, 832-835.
- [78] A. Idrissi, F. Sokolić and A. Perera, *J. Chem. Phys.*, 2000, 112, 9479-9488.
- [79] A. Idrissi, P. Bartolini, M. Ricci and R. Righini, *Phys. Chem. Chem. Phys.*, 2003, 5, 4666-4671.
- [80] P. O. Åstrand, A. Wallqvist, G. Karlström and P. Linse, *J. Chem. Phys.*, 1991, 95, 8419-8429.
- [81] R. Adams, H. H. M. Balyuzi and R. E. Burge, *J. Appl. Crystallogr.*, 1977, 10, 256-261.
- [82] J. Jadżyn, L. Bouteiller, J.-L. Déjardinc and G. Czechowskia, *Acta Phys. Pol., A*, 2006, 110, 495-505.
- [83] M. Obrzud, M. Rospenk and A. Koll, *J. Mol. Struct.*, 2012, 1018, 54-63.
- [84] J. Świergiel, L. Bouteiller and J. Jadżyn, *J. Phys. Chem. B*, 2015, 119, 12947-12953.
- [85] H. Kokubo and B. M. Pettitt, *J. Phys. Chem. B*, 2007, 111, 5233-5242.
- [86] E. I. Harnagea and P. W. Jagodzinski, *Vib. Spectrosc.*, 1996, 10, 169-175.
- [87] D. Laage, G. Stirnemann and J. T. Hynes, *J. Phys. Chem. B*, 2009, 113, 2428-2435.