

## Association of Toll-Like Cell Receptors TLR2 (p.Arg753GLN) and TLR4 (p.Asp299GLY) Polymorphisms with Indicators of General and Local Immunity in Patients with Atopic Dermatitis

Tyurin Y., Shamsutdinov A., Kalinin N., Sharifullina A., Reshetnikova I.  
*Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia*

---

### Abstract

© 2017 Yury A. Tyurin et al. A whole group of polymorphisms of genes involved in the formation of the epidermal barrier, immune responses, and their regulation is important in the formation of atopic phenotype. The purpose of the study is to determine the relationship of polymorphisms of genes of Toll-like receptors TLR2 and TLR4 with clinical and immunological parameters in atopic dermatitis patients in a "case-control" study. Polymorphisms of genes TLR2 (p.Arg753Gln) and TLR4 (Asp299Gly) were detected by PCR. Parameters of the state of innate and adaptive immunity were assessed by the level of local production of sIgA, cytokine profile of blood serum for IL-4, IL-10, and IFN- $\gamma$ . Biological samples from 50 people with allergic pathology, aged 4.5 to 35 years, and 100 healthy individuals (controls) were analyzed. Observed dysregulation of cytokine production (IL-4, IL-10) in patients with heterozygous polymorphic genotypes probably reflects an imbalance of Th1/Th2/Th17 regulation of immune system response in these individuals.

<http://dx.doi.org/10.1155/2017/8493545>

---

### References

- [1] R. A. Ortiz and K. C. Barnes, "Genetics of allergic diseases, " *Immunology and Allergy Clinics of North America*, vol. 35, no. 1, pp. 19-44, 2015.
- [2] G. F. Gimalova, A. S. Karunas, and E. K. Husnutdinova, "Molecular genetic aspects of atopic dermatitis, " *The Medical Genetics*, vol. 11, no. 12, pp. 18-22, 2012.
- [3] R. Medzhitov, "TLR-mediated innate immune recognition, " *Seminars in Immunology*, vol. 19, no. 1, pp. 1-2, 2007.
- [4] T. Kawai and S. Akira, "Toll-like receptors and their crosstalk with other innate receptors in infection and immunity, " *Immunity*, vol. 34, no. 5, pp. 637-650, 2011.
- [5] E. Lorenz, M. Hallman, R. Marttila, R. Haataja, and D. A. Schwartz, "Association between the Asp299Gly polymorphisms in the Toll-like receptor 4 and premature births in the Finnish population, " *Pediatric Research*, vol. 52, no. 3, pp. 373-337, 2002.
- [6] G. D. Ruxton, "The unequal variance t-test is an underused alternative to Student's t-test and the Mann-Whitney U-test, " *Behavioral Ecology*, vol. 17, no. 4, pp. 688-690, 2006.
- [7] S. V. Belyaeva, *The Genes of the Immune Response and Their Combinations as the Predictive Markers of the Potential Risk of Development of Active Tuberculosis of Lungs and Its Clinical Phenotypes at the Representatives of the Russian Population of the Chelyabinsk Region*, pp. 102-104, Thesis for a Scientific degree of the Candidate of Biological Sciences, Chelyabinsk, Russia, 2014.

- [8] K. K. Abu-Amero, M. Jaeger, T. Plantinga, M. G. Netea, and H. Y. Hassan, "Genetic variation of TLR2 and TLR4 among the Saudi Arabian population: insight into the evolutionary dynamics of the Arabian Peninsula, " *Genetic Testing and Molecular Biomarkers*, vol. 17, no. 2, pp. 166-169, 2013.
- [9] S. N. Vogel, K. A. Fitzgerald, and M. J. Fenton, "TLRs: differential adapter utilization by Toll-like receptors mediates TLR-specific patterns of gene expression, " *Molecular Interventions*, vol. 3, no. 8, pp. 466-477, 2003.
- [10] S. C. Corr and L. A. O'Neill, "Genetic variation in Toll-like receptor signalling and the risk of inflammatory and immune diseases, " *Journal of Innate Immunity*, vol. 1, no. 4, pp. 350-357, 2009.
- [11] J. Vuononvirta, L. Toivonen, K. Gröndahl-Yli-Hannuksela et al., "Nasopharyngeal bacterial colonization and gene polymorphisms of mannose-binding lectin and Toll-like receptors 2 and 4 in infants, " *PloS One*, vol. 6, no. 10, p. e26198, 2011.
- [12] A. A. Awomoyi, P. Rallabhandi, T. I. Pollin et al., "Association of TLR4 polymorphisms with symptomatic respiratory syncytial virus infection in high-risk infants and young children, " *The Journal of Immunology*, vol. 198, no. 3, pp. 3171-3177, 2007.
- [13] N. C. Arbour, E. Lorenz, B. C. Schutte et al., "TLR4 mutations are associated with endotoxin hyporesponsiveness in humans, " *Nature Genetics*, vol. 25, no. 2, pp. 187-191, 2000.