

Evidence for the Photoionization Absorption Edge in a Photospheric Radius Expansion X-Ray Burst from GRS 1747-312 in Terzan 6

Li Z., Suleimanov V., Poutanen J., Salmi T., Falanga M., Nättilä J., Xu R.
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2018. The American Astronomical Society. All rights reserved. Thermonuclear X-ray bursts on the surface of neutron stars (NSs) can enrich the photosphere with metals, which may imprint photoionization edges on the burst spectra. We report here the discovery of absorption edges in the spectra of the type I X-ray burst from the NS low-mass X-ray binary GRS 1747-312 in Terzan 6 during observations by the Rossi X-ray Timing Explorer. We find that the edge energy evolves from 9.45 ± 0.51 to ~ 6 keV and then back to 9.44 ± 0.40 keV during the photospheric radius expansion phase and remains at 8.06 ± 0.66 keV in the cooling tail. The photoionization absorption edges of hydrogen-like Ni, Fe, or an Fe/Ni mixture and the bound-bound transitions of metals may be responsible for the observed spectral features. The ratio of the measured absorption edge energy in the cooling tail to the laboratory value of the hydrogen-like Ni(Fe) edge energy allows us to estimate the gravitational redshift factor $1 + z = 1.34 \pm 0.11$ ($1 + z = 1.15 \pm 0.09$). The evolution of the spectral parameters during the cooling tail are well described by metal-rich atmosphere models. The combined constraints on the NS mass and radius from the direct cooling method and the tidal deformability strongly suggest very high atmospheric abundance of the iron group elements and limit the distance to the source to 11 ± 1 kpc.

<http://dx.doi.org/10.3847/1538-4357/aade8e>

Keywords

binaries: general, stars: neutron, X-rays: binaries, X-rays: individual (GRS 1747-312), X-rays: stars

References

- [1] Abbott B. P., Abbott R., Abbott T. D. et al 2017 PhRvL 119 161101
- [2] Annala E., Gorda T., Kurkela A. and Vuorinen A. 2018 PhRvL 120 172703
- [3] Arnaud K. A. 1996 ASP Conf. Ser. 101, *Astronomical Data Analysis Software and Systems V* ed G. H. Jacoby and J. Barnes (San Francisco, CA: ASP) 17
- [4] Ballantyne D. R. and Strohmayer T. E. 2004 ApJL 602 L105
- [5] Barbuy B., Ortolani S. and Bica E. 1997 A&AS 122 483
- [6] Cumming A. and Bildsten L. 2001 ApJL 559 L127
- [7] Damen E., Magnier E., Lewin W. H. G. et al 1990 A&A 237 103
- [8] DeCesar M. E., Boyd P. T., Pottschmidt K. et al 2013 ApJ 762 61

- [9] di Salvo T., D'Aí A., Iaria R. et al 2009 MNRAS 398 2022
- [10] Ebisuzaki T. 1987 PASJ 39 287
- [11] Fahlman G. G., Douglas K. A. and Thompson I. B. 1995 AJ 110 2189
- [12] Falanga M., Chenevez J., Cumming A. et al 2008 A&A 484 43
- [13] Galloway D. K., Muno M. P., Hartman J. M., Psaltis D. and Chakrabarty D. 2008 ApJS 179 360
- [14] Guillot S., Servillat M., Webb N. A. and Rutledge R. E. 2013 ApJ 772 7
- [15] Harris W. E. 1996 AJ 112 1487
- [16] Harris W. E. 2010 arXiv:1012.3224
- [17] in't Zand J. 2017 RIKEN Symp., 7 Years of MAXI: Monitoring X-Ray Transients, <http://adsabs.harvard.edu/abs/2017symm.conf..121I>
- [18] in't Zand J. J. M., Strohmayer T. E., Markwardt C. B. and Swank J. 2003a A&A 409 659
- [19] in't Zand J. J. M. and Weinberg N. N. 2010 A&A 520 A81
- [20] in't Zand J. J. M., Bazzano A., Cocchi M. et al 2000 A&A 355 145
- [21] in't Zand J. J. M., Hulleman F., Markwardt C. B. et al 2003b A&A 406 233
- [22] in't Zand J. J. M., Galloway D. K., Marshall H. L. et al 2013 A&A 553 A83
- [23] Iwai M., Dotani T., Ozaki M. et al 2014 Suzaku-MAXI 2014: Expanding the Frontiers of the X-ray Universe ed M. Ishida, R. Petre and K. Mitsuda 158
- [24] Iwai M., Dotani T., Ozaki M. et al 2017 PASJ 69 61
- [25] Jahoda K., Markwardt C. B., Radeva Y. et al 2006 ApJS 163 401
- [26] Kajava J. J. E., Nättilä J., Poutanen J. et al 2017 MNRAS 464 L6
- [27] Keek L., Ballantyne D. R., Kuulkers E. and Strohmayer T. E. 2014 ApJL 797 L23
- [28] Keek L., Iwakiri W., Serino M. et al 2017 ApJ 836 111
- [29] Kuulkers E., den Hartog P. R., in't Zand J. J. M. et al 2003 A&A 399 663
- [30] Lattimer J. M. and Prakash M. 2007 PhR 442 109
- [31] Lewin W. H. G., van Paradijs J. and Taam R. E. 1993 SSRv 62 223
- [32] Li Z., Falanga M., Chen L., Qu J. and Xu R. 2017 ApJ 845 8
- [33] Li Z.-S., Qu Z.-J., Chen L. et al 2015 ApJ 798 56
- [34] Nättilä J., Miller M. C., Steiner A. W. et al 2017 A&A 608 A31
- [35] Nättilä J., Suleimanov V. F., Kajava J. J. E. and Poutanen J. 2015 A&A 581 A83
- [36] Orlandini M., Frontera F., Masetti N., Sguera V. and Sidoli L. 2012 ApJ 748 86
- [37] Özel F. 2006 Natur 441 1115
- [38] Özel F., Güver T. and Psaltis D. 2009 ApJ 693 1775
- [39] Özel F., Psaltis D., Güver T. et al 2016 ApJ 820 28
- [40] Pavlinsky M. N., Grebenev S. A. and Sunyaev R. A. 1994 ApJ 425 110
- [41] Poutanen J., Nättilä J., Kajava J. J. E. et al 2014 MNRAS 442 3777
- [42] Predehl P., Hasinger G. and Verbunt F. 1991 A&A 246 L21
- [43] Shaposhnikov N., Jahoda K., Markwardt C., Swank J. and Strohmayer T. 2012 ApJ 757 159
- [44] Steiner A. W., Lattimer J. M. and Brown E. F. 2013 ApJL 765 L5
- [45] Strohmayer T. and Bildsten L. 2006 Compact stellar X-ray sources ed W. Lewin and M. van der Klis (Cambridge: Cambridge Univ. Press) 113
- [46] Suleimanov V., Poutanen J., Revnivtsev M. and Werner K. 2011a ApJ 742 122
- [47] Suleimanov V., Poutanen J. and Werner K. 2011b A&A 527 A139
- [48] Suleimanov V. F., Poutanen J., Klochkov D. and Werner K. 2016 EPJA 52 20
- [49] Suleimanov V. F., Poutanen J., Nättilä J. et al 2017 MNRAS 466 906
- [50] Sztajno M., Fujimoto M. Y., van Paradijs J. et al 1987 MNRAS 226 39
- [51] Valenti E., Ferraro F. R. and Origlia L. 2007 AJ 133 1287
- [52] van Paradijs J., Dotani T., Tanaka Y. and Tsuru T. 1990 PASJ 42 633
- [53] Verbunt F., Bunk W., Hasinger G. and Johnston H. M. 1995 A&A 300 732
- [54] Worpel H., Galloway D. K. and Price D. J. 2013 ApJ 772 94