Methodological approaches to evaluation of efficiency of new biotechnologies for remediation of soils contaminated with oil and oilfield liquids

Kubarev P., Shaydullina I., Sakhabutdinov R., Degtyareva I., Gadieva E. Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2018 Neftyanoe Khozyaistvo. All rights reserved. Currently available is a wide range of biotechnologies for remediation of oil-polluted areas. These are based on application of hydrocarbon oxidizing microorganisms, humic compounds, and sorbents, which have various efficiency depending on the nature of pollution, climatic conditions, grain size distribution, and soil type. The purpose of the present research effort is to summarize the lessons learned in evaluation of the performance of new biotechnologies for remediation of soils contaminated with oil or oilfield liquid. Integrated performance assessment of biotechnologies for soil remediation should include the following diagnostic blocks: determination of oil product content, agrochemical and microbiological parameters, toxicological characteristics, mutagenicity of soil samples and phytoproductivity. Infrared spectrometry is recommended for determination of petroleum product content. This method provides for extraction of petroleum products from soil using tetrachloride carbon, chromatographic separation from associated organic compounds of other classes and quantitative analysis based on intensity of infrared absorption. Determination of agroecological parameters in soil samples involves pH of agueous and salt extracts, chlorides, sulfates, dissolved solids of aqueous extract, humic matter, alkali hydrolyzable nitrogen, labile phosphorous compounds and exchange potassium. Microbiological monitoring includes determination of the amount of hydrocarbon oxidizing, heterotrophic microorganisms, micromycetes, total microbial biomass and basal respiration. Analysis of soil mutagenic activity is a part of soil assessment process. Of the several technologies available for identification of mutagenes, the most common are tests on microorganisms, fruit fly, in vitro tests using mammal cell cultures, mammalian in vivo micronucleus tests.

http://dx.doi.org/10.24887/0028-2448-2018-7-53-56

Keywords

Allowable remaining oil content in soil, Biotechnology, Humic compounds, Hydrocarbon oxidizing microorganisms, Oil, Oilfield liquid, Phytoproductivity, Remediation, Soils

References

[1] Shaydullina I.A., Antonov N.A., Sibgatova D.I., Yapparov A.Kh., Degtyareva I.A., Latypova V.Z., Gadieva E.Sh., Research of the efficiency and environmental safety of some modern methods for remediation of oilcontaminated soil (In Russ.), Georesursy = Georesources, 2015, no. 4, pp. 44-47.

- [2] Malykhina L.V., Shaydullina I.A., Antonov N.A., Sibgatova D.I., Yapparov A.Kh., Degtyareva I.A., Latypova V.Z., Gadieva E.Sh., Application of new biotechnologies in the remediation of black soil with mixed pollution (In Russ.), Georesursy = Georesources, 2016, no. 2, pp. 138-144.
- [3] Malykhina L.V., Shaydullina I.A., Antonov N.A., Sibgatova D.I., Degtyareva I.A., Gadieva E.Sh., Primenenie biopreparata "Gumaks" i aborigennykh shtammov mikroorganizmov-destruktorov nefti v sochetanii s nanobentonit-om dlya rekul'tivatsii tipichnykh i vyshchelochennykh chernozemov so smeshannym tipom neftezagryazneniya (The application of the biological preparation "Humax" and aboriginal strains of microorganisms-oil destructors in combination with nano-bentonite for recultivation of typical and leached chernozems with a mixed type of oil pollution), Proceedings of TatNIPIneft' / PAO "Tatneft'", 2016, V. 84, pp. 298-307.
- [4] Shaydullina I.A., Antonov N.A., Sibgatova D.I., Khasanov R.G., Degtyareva I.A., Latypova V.Z., Gadieva E.Sh., Selection of effective biological methods for reclamation of soils contaminated with oilfield environments for the conditions of PJSC Tatneft (In Russ.), Zhurnal ekologii i promyshlennoy be-zopasnosti, 2016, no. 2, pp. 47-49.
- [5] Malykhina L.V., Shaydullina I.A., Antonov N.A., Sibgatova D.I., Ivanov A.V., Degtyareva I.A., Khatamtaev V.I., Ispytanie novykh biotekhnologiy dlya rekul'-t ivatsii serykh lesnykh pochv so smeshannym tipom neftezagryazneniya (Testing of new biotechnologies for reclamation of gray forest soils with a mixed type of oil pollution), Proceedings of TatNIPIneft' / PAO "Tatneft'", 2017, V. 85, pp. 479-490.
- [6] Ibatullin R.R., Shaydullina I.A., Latypova V.Z., Mutin I.I., Evaluation of ecological efficiency of oil-contaminated soil recultivation measures (In Russ.), Zashchita okruzhayushchey sredy v neftegazovom komplekse, 2006, no. 8, pp. 1-6.
- [7] Shaydullina I.A., Kolesnikova N.E., Antonov N.A., Sibgatova D.I., Yapparov A.Kh., Shaydullina E.Sh., Ziganshin Z.U., Ispytanie novykh biotekhnologiy rekul'tivatsii neftezagryaznennykh zemel' v usloviyakh OAO "Tatneft'" (Testing of new biotechnologies for reclamation of oil contaminated lands in the conditions of Tatneft OAO), Nauchnaya sessiya uchenykh AGNI (Scientific session of scientists from Almetyevsk State Oil Institute), Proceedings of regional scientific and practical conference, Al'met'evsk, 22-26 April 2013, Al'met'evsk, 2013, Part 1, pp. 168-173.
- [8] Shaydullina I.A., Yapparov A.Kh., Degtyareva I.D., Latypova V.Z., Gadieva E.Sh., Recultivation of oilcontaminated lands by example of leached black humus earth of Tatarstan (In Russ.), Neftyanoe khozyaystvo = Oil Industry, 2015, no. 3, pp. 102-105.
- [9] Malykhina L.V., Shaydullina I.A., Antonov N.A., Sibgatova D.I., Yapparov A.Kh., Latypova V.Z., Gadieva E.Sh., Effektivnost' novykh biotekhnologiy rekul'tivatsii neftezagryaznennykh zemel' dlya chernozemov Zakam'ya (Efficiency of new biotechnologies for reclamation of oil contaminated lands for chernozems), Collected papers "Neftegazovyy kompleks: obrazovanie, nauka i proizvodstvo" (Oil and gas complex: education, science and production), Proceedings of All-Russian Scientific and Practical Conference, 30 March - 3 April 2015, Al'met'evsk, 2015, Part 1, pp. 192-197.
- [10] Malykhina L.V., Shaydullina I.A., Antonov N.A., Sibgatova D.I., Yapparov A.Kh., Gadieva E.Sh., Kompleksnyy podkhod pri ispytanii biotekhnologiy rekul'tivatsii neftezagryaznennykh zemel' (Comprehensive approach in the testing of biotechnologies for reclamation of oil contaminated lands), Proceedings of TatNIPIneft' / PAO "Tatneft'", 2015, V. 83, pp. 313-318.
- [11] Ibatullin R.R., Mutin I.I., Iskhakova N.M., Shaydullina I.A., Sakhabutdinov K.G., Pavlyuk N.V., Development of a standard for the permissible residual oil content for leached chernozems of the Republic of Tatarstan (In Russ.), Interval, 2006, no. 2, pp. 10-16.
- [12] Malykhina L.V., Shaydullina I.A., Kolesnikova N.E., Antonov N.A., Working out of measures on recultivation of soils disturbed under the construction and operation of oil-field facilities (In Russ.), Zashchita okruzhayushchey sredy v neftegazovom komplekse, 2012, no. 10, pp. 10-13.
- [13] Ibragimov N.G., Gareev R.M., Ismagilov I.F., Kubarev P.N., Shaydullina I.A., Regulatory support for reclamation of disturbed and oil-contaminated soils in Tatneft PJSC assets (In Russ.), Neftyanoe khozyaystvo = Oil Industry, 2017, no. 5, pp. 74-77.