

# Conversion of Heavy Oil with Different Chemical Compositions under Catalytic Aquathermolysis with an Amphiphilic Fe-Co-Cu Catalyst and Kaolin

Kayukova G., Mikhailova A., Kosachev I., Feoktistov D., Vakhin A.  
*Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia*

---

## Abstract

© 2018 American Chemical Society. The physical simulation of heavy oil catalytic aquathermolysis with different chemical compositions from deposits located in the Tatarstan Republic, Russia (Ekaterinovskiy oil, B2 type, and Olimpiadovskiy oil, A1 type), was designed. The catalytic aquathermolysis processes were conducted at a temperature of 300 °C in the presence of a rock-forming additive - kaolin (the content of montmorillonite was 44%), and catalysts composed of transition metal (Fe, Co, and Cu) carboxylates. The environment of the processes was a mixture of carbon dioxide and water vapor. The distinctive features of hydrothermal-catalytic conversion of various oil types are evaluated by fractional, structural-group, microelement compositions, and H:C ratio changes. These variations are due to initial properties of crude oils and the activation degree of destruction reactions on C-C, C-N, C-O, and C-S bonds leading to different levels of increase of saturated fractions content and decrease of resins and asphaltenes content in the products of experiments. By the thermal analysis method, the assessment of potential content of the oil on a solid sorbent before and after experiments was carried out. The high-molecular-weight components of the naphthene-aromatic B2 type oil revealed greater adsorption capacity to the rocks, in comparison with the oil of the A1 type. Therefore, the adsorption of catalyst components on rocks is also greater.

<http://dx.doi.org/10.1021/acs.energyfuels.8b00347>

---

## References

- [1] Yusupova, T. N.; Ganeeva, Y. M.; Romanov, G. V.; Barskaya, E. E.; Morozov, V. I.; Okhotnikova, E. S.; Vakhin, A. V. Change in the structural-group composition of bitumen asphaltenes upon thermal bitumen recovery. *Pet. Chem.* 2017, 57 (3), 198-202, 10.1134/S0965544117020256
- [2] Eletsii, P. M.; Sosnin, G. A.; Zaikina, O. O.; Kukushkin, R. G.; Yakovlev, V. A. Heavy oil upgrading in the presence of water. *J. Sib. Fed. Univ., Chem.* 2017, 10, 545-572, 10.17516/1998-2836-0048
- [3] Murakawa, T.; Fujimoto, K.; Tominaga, H. Selective Thermal Cracking of Heavy Oil (Part 5) Selective Thermal Cracking of Kuwait Atmospheric Residue using CO Shift Reaction. *J-STAGE. Sekiyu Gakkaishi* 1987, 30 (6), 418-423, 10.1627/jpi1958.30.418
- [4] Feoktistov, D. A.; Kayukova, G. P.; Vakhin, A. V.; Sitnov, S. A. Catalytic aquathermolysis of high-viscosity oil using iron, cobalt and copper tallates. *Chem. Technol. Fuels Oils* 2018, 53 (6), 905-912, 10.1007/s10553-01-0880-4
- [5] Kayukova, G. P.; Mikhailova, A. M.; Feoktistov, D. A.; Morozov, V. P.; Vakhin, A. V. Conversion of the Organic Matter of Domanic Shale and Permian bituminous Rocks in Hydrothermal Catalytic processes. *Energy Fuels* 2017, 31 (8), 7789-7799, 10.1021/acs.energyfuels.7b00612

- [6] Maity, S. K.; Ancheyta, J.; Marroquín, G. Catalytic Aquathermolysis Used for Viscosity Reduction of Heavy Crude Oils: A Review. *Energy Fuels* 2010, 24, 2809-2816, 10.1021/ef100230k
- [7] Nikolaev, V. F.; Foss, L. E.; Shageev, A. F.; Nafikov, A. A.; Amerhanov, M. I.; Barskaya, E. E.; Ganeeva, Y. M.; Ibatullin, R. R.; Romanov, G. V. Integral extraction-wettability criteria of the effectiveness of industrial solvents used for enhanced oil recovery. *Pet. Sci. Technol.* 2017, 35 (9), 851-855, 10.1080/10916466.2017.1279177
- [8] Morimoto, M.; Sugimoto, Y.; Saotome, Y.; Sato, S.; Takanohashi, T. Effect of supercritical water on upgrading reaction of oil sand bitumen. *J. Supercrit. Fluids* 2010, 55 (1), 223-231, 10.1016/j.supflu.2010.08.002
- [9] Chen, Y.; Wang, Y.; Wu, C.; Xia, F. Laboratory Experiments and Field Tests of an Amphiphilic Metallic Chelate for Catalytic Aquathermolysis of Heavy Oil. *Energy Fuels* 2008, 22 (3), 1502-1508, 10.1021/ef8000136
- [10] Chao, K.; Chen, Y.; Liu, H.; Zhang, X.; Li, J. Laboratory Experiments and Field Test of a Difunctional Catalyst for Catalytic Aquathermolysis of Heavy Oil. *Energy Fuels* 2012, 26 (2), 1152-1159, 10.1021/ef2018385
- [11] Fan, H.; Zhang, Y.; Lin, Y. The Catalytic Effects of Minerals on Aquathermolysis of Heavy Oils. *Fuel* 2004, 83, 2035-2039, 10.1016/j.fuel.2004.04.010
- [12] Wu, C.; Su, J.; Zhang, R.; Lei, G.; Cao, Y. The Use of a Nano-nickel Catalyst for Upgrading Extra-heavy Oil by an Aquathermolysis Treatment Under Steam Injection Conditions. *Pet. Sci. Technol.* 2013, 31 (21), 2211-2218, 10.1080/10916466.2011.644016
- [13] Kayukova, G. P.; Petrov, S. M.; Uspensky, B. V. Properties of heavy oils and bitumen of Permian deposits of Tatarstan in natural and technogenic processes; GEOS: Moscow, 2015; p 343.
- [14] Petrukhina, N. N.; Kayukova, G. P.; Romanov, G. V.; Tumanyan, B. P.; Foss, L. E.; Kosachev, I. P.; Musin, R. Z.; Ramazanov, A. I.; Vakhin, A. V. Conversion Processes for High-Viscosity Heavy Crude Oil in Catalytic and Noncatalytic Aquathermolysis. *Chem. Technol. Fuels Oils* 2014, 50 (4), 315-326, 10.1007/s10553-014-0528-y
- [15] Kayukova, G. P.; Foss, L. E.; Feoktistov, D. A.; Vakhin, A. V.; Petrukhina, N. N.; Romanov, G. V. Transformations of Hydrocarbons of Ashal'hinskoe Heavy Oil under Catalytic Aquathermolysis Conditions. *Pet. Chem.* 2017, 57 (8), 657-665, 10.1134/S0965544117050061
- [16] Kayukova, G. P.; Gubaidullin, A. T.; Petrov, S. M.; Romanov, G. V.; Petrukhina, N. N.; Vakhin, A. V. The changes of Asphaltenes Structural-Phase Characteristics in the Process of Conversion of Heavy Oil in the Hydrothermal Catalytic System. *Energy Fuels* 2016, 30 (2), 773-783, 10.1021/acs.energyfuels.5b01328
- [17] Tumanyan, B. P.; Petrukhina, N. N.; Kayukova, G. P.; Nurgaliev, D. K.; Foss, L. E.; Romanov, G. V. Aquathermolysis of crude oils and natural bitumen: chemistry, catalysts and prospects for industrial implementation. *Russ. Chem. Rev.* 2015, 84 (11), 1145-1175, 10.1070/RCR4500
- [18] Jiang, S.; Liu, X.; Zhong, L. In Situ Upgrading Heavy Oil by Aquathermolytic Treatment under Steam Injection Conditions. In *SPE International Symposium on Oilfield Chemistry*, The Woodlands, TX, Feb 2-4, 2005; SPE: Richardson, TX, 2005; SPE 91973.
- [19] Khisamov, R. S.; Bazarevskaya, V. G.; Timirov, D. A.; Bazarevskaya, N. I. Oil in non-conventional reservoirs of Tatarstan. In *SPE Russian Oil and Gas Exploration and Production Technical Conference and Exhibition*, Moscow, Oct 14-16, 2014; SPE: Richardson, TX, 2014; Paper No. SPE-171164-RU.
- [20] Muslimov, R. H. Innovative Development of the Oil and Gas Sector of the Old Oil-producing Areas Using the Accumulated Experience (by the Example of the Republic of Tatarstan). *Neft. Khoz.* 2014, 10, 74-78
- [21] Kadiev, Kh. M.; Khadzhiev, S. N.; Kadieva, M. Kh. Synthesis and use of polyfunctional catalyst nanoparticles for hydroconversion of natural bitumen. *Pet. Chem.* 2013, 53 (5), 298-308, 10.1134/S0965544113050034
- [22] Sahu, R.; Song, B. J.; Im, J. S.; Jeon, Y.-P.; Lee, C. W. A review of recent advances in catalytic hydrocracking of heavy residues. *J. Ind. Eng. Chem.* 2015, 27, 12-24, 10.1016/j.jiec.2015.01.011
- [23] Vakhin, A. V.; Sitnov, S. A.; Mukhamatdinov, I. I.; Onishchenko, Y. V.; Feoktistov, D. A. Aquathermolysis of High-Viscosity Oil in the Presence of an Oil-Soluble Iron-Based Catalyst. *Chem. Technol. Fuels Oils* 2017, 53 (5), 666-674, 10.1007/s10553-017-0848-9
- [24] Kayukova, G. P.; Feoktistov, D. A.; Mikhailova, A. N.; Kosachev, I. P.; Musin, R. Z.; Vakhin, A. V. Influence of the Nature of Metals and Modifying Additives on Changes in the Structure of Heavy Oil in a Catalytic Aquathermolysis System. *Pet. Chem.* 2018, 58 (3), 190-196, 10.1134/S0965544118030118
- [25] Urazaev, V. Technologies in the electronic industry. *Solvents* 2006, 1, 44-49. In Russian.
- [26] Kök, M. V. Recent developments in the application of thermal analysis techniques in fossil fuels. *J. Therm. Anal. Calorim.* 2008, 91 (3), 763-773, 10.1007/s10973-006-8282-y
- [27] ASTM D 4124-09. Standard Test Method for Separation of Asphalt into Four Fractions; ASTM: West Conshohocken, PA.
- [28] Svarovskaya, L. I.; Filatov, D. A.; Gerelmaa, T.; Altunina, L. K. IR and <sup>1</sup>H NMR assessments of the biodegradation of oil. *Pet. Chem.* 2009, 49 (2), 136-141, 10.1134/S0965544109020066
- [29] Grin'ko, A. A.; Golovko, A. K. Fractionation of resins and asphaltenes and investigation of their composition and structure using heavy oil from the Usa field as an example. *Pet. Chem.* 2011, 51 (3), 192-202, 10.1134/S0965544111030066

- [30] Biktagirov, T.; Gafurov, M.; Mamin, G.; Gracheva, I.; Galukhin, A.; Orlinskii, S. In Situ Identification of Various Structural Features of Vanadyl Porphyrins in Crude Oil by High-Field (3.4 T) Electron-Nuclear Double Resonance Spectroscopy Combined with Density Functional Theory Calculations. *Energy Fuels* 2017, 31 (2), 1243-1249, 10.1021/acs.energyfuels.6b02494
- [31] Barwise, A. J. G. Role of Nickel and Vanadium in Petroleum Classification. *Energy Fuels* 1990, 4 (6), 647-652, 10.1021/ef00024a005
- [32] Gafurov, M. R.; Volodin, M. A.; Rodionov, A. A.; Sorokina, A. T.; Dolomatov, M. Yu.; Petrov, A. V.; Vakhin, A. V.; Mamin, G. V.; Orlinskii, S. B. EPR study of spectra transformations of the intrinsic vanadyl-porphyrin complexes in heavy crude oils with temperature to probe the asphaltenes' aggregation. *J. Pet. Sci. Eng.* 2018, 166, 363-368, 10.1016/j.petrol.2018.02.045
- [33] Yusupova, T. N.; Petrova, L. M.; Ganeeva, Yu. M.; Lifanova, E. V.; Romanov, G. V. Use of thermal analysis in identification of tatarstan crude oils. *Pet. Chem.* 1999, 39 (4), 227-232
- [34] Varfolomeev, M. A.; Nagrimanov, R. N.; Samatov, A. A.; Rakipov, I. T.; Nikanshin, A. D.; Vakhin, A. V.; Nurgaliev, D. K.; Kok, M. V. Chemical evaluation and kinetics of Siberian, north regions of Russia and Republic of Tatarstan crude oils. *Energy Sources, Part A* 2016, 38 (8), 1031-1038, 10.1080/15567036.2015.1107866
- [35] Varfolomeev, M. A.; Nagrimanov, R. N.; Galukhin, A. V.; Vakhin, A. V.; Solomonov, B. N.; Nurgaliev, D. K.; Kok, M. V. Contribution of thermal analysis and kinetics of Siberian and Tatarstan regions crude oils for in situ combustion process. *J. Therm. Anal. Calorim.* 2015, 122 (3), 1375-1384
- [36] Shah, A.; Fishwick, R.; Wood, J.; Leeke, G.; Rigby, S.; Greaves, M. A review of novel techniques for heavy oil and bitumen extraction and upgrading. *Energy Environ. Sci.* 2010, 3, 700-714, 10.1039/b918960b
- [37] Schwark, L.; Frimmel, F. Chemostratigraphy of the Posidonia Black Shale, SW-Germany 11. Assessment of extent and persistence of photic-zone anoxia using arylisoprenoid distributions. *Chem. Geol.* 2004, 206, 231-248, 10.1016/j.chemgeo.2003.12.008
- [38] Kayukova, G. P.; Foss, L. E.; Feoktistov, D. A.; Vakhin, A. V.; Petrukhina, N. N.; Romanov, G. V. Transformations of Hydrocarbons of Ashal'hinskoe Heavy Oil under Catalytic Aquathermolysis Conditions. *Pet. Chem.* 2017, 57 (8), 657-665, 10.1134/S0965544117050061
- [39] Salih, I. Sh. S.; Mukhamatdinov, I. I.; Garifullina, E. I.; Vakhin, A. V. Study of Fractional Composition of Asphaltenes in Hydrocarbon Material. *Chem. Technol. Fuels Oils* 2018, 54 (1), 44-50, 10.1007/s10553-01-0896-9